```
M2 LEAD / CADMIUM
         PRODUCT NAME: M2 LEAD / CADMIUM
         PRODUCT CODE: CTL (4)
         Page:
                                                                                          1
       MANUFACTURER'S NAME: AMERICAN ART CLAY CO. INC.
                                                                         马达太空间的过去式与过去分词
                              INDIANAPOLIS, IN
        EMERGENCY PHONE
                                                                     9701474T
       INFORMATION PHONE : 800-374-1600
                                            46222
       ======= SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION ========
      PREPORTABLE COMPONENTS
           LEAD CMPD - ACGIH TLV .15mg/m3, OSHA PEL.05mg/m3 @ Pb
                                                               VAPOR PRESSURE
           CADMIUM CMPD - ACGIG TLV 10 ug/m3, OSHA PEL 5 ug/m3 @ Cd
                                                                            WEIGHT
                                                                            PERCENT
                                                    65997-18-4
     * Indicates toxic chemical(s) subject to the reporting requirements of Section 313 of Title III and of 40 CFR 372 are present.
     Bears to the HL Seal, Labeling conforms to ASTM D4236. Contains cadmium pigment and lead horosilicate. Not for use in home or home
    Bears to the ML Seal, Labeling conforms to ASIM D4236. Contains Cadmium Pigment and lead Dorosilicate, Not for use in Studio. See Section VI. Producers are responsible in complying with FDA guidelines for lead release from tableware.
     ======== SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS ==========
    VAPOR DENSITY: Heavier than air.
    COATING V.O.C.: 0.00 lb/gl
                                              SPECIFIC GRAVITY (H20=1):
    SOLUBILITY IN WATER: Yes.
                                             EVAPORATION RATE: NA
   APPEARANCE AND ODOR: CTL 50, 54
                                             MATERIAL V.O.C.: 0.00 lb/gl
   FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: n/a
                                            METHOD USED: n/a
  EXTINGUISHING MEDIA: N/A
                                                         UPPER: n/a
  SPECIAL FIREFIGHTING PROCEDURES
 UNUSUAL FIRE AND EXPLOSION HAZARDS
INCOMPATIBILITY (MATERIALS TO AVOID)
HAZARDOUS DECOMPOSITION OR BYPRODUCTS
```

MATERIAL SAFETY M2 LEAD / CADMIUM

Page:

HAZARDOUS POLYMERIZATION: Will not occur.

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

May cause damage to the lungs or heart by inhalation of dust or mist. Cancer agent based on laboratory tests. Contains cadmium and lead borosilicate. Refer to Health Hazards (Acute and Chronic) for further health information. Not for spray application

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE

Rinse eyes thoroughly with water for 15 minutes. Contact physician.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

Ingestion may cause anemia, nervous system, kidney or bone marrow damage or harm to the developing fetus. Refer to Health Hazards ... (Acute and Chronic) for additional information.

HEALTH HAZARDS (ACUTE AND CHRONIC)

May be harmful if swallowed. Cancer agent based on experimental data. May cause damage to the lungs by inhalation of dust or mists. Exposure may cause damage to the testes, difficulty with child bearing or harm to the developing fetus. Exposure may cause nervous system, kidney or bone marrow damage.

CARCINOGENICITY: NTP CARCINOGEN: No. IARC MONOGRAPHS: Yes. OSHA REGULATED: No.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

Unknown.

EMERGENCY AND FIRST AID PROCEDURES

Contact your local poison control for further health information.

======= SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE =========

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Clean with paper towel and wet sponge. Wash with soap and water, Do not create dust. Damp mop after use. Cleaning should be on

WASTE DISPOSAL METHOD

Dispose of paper towel in trash and rinse sponge. In manufacturing, dispose of in accordance to local, state and federal regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

Always keep lid tightly on jar of moist product while not in use or storage. Uncovered product will dry out.

OTHER PRECAUTIONS

When using do not eat, drink or smoke. Wear apron and wash hands immediately after use. If pregnant or contemplating pregnancy do not use. NOT FOR USE IN HOME OR HOME STUDIO. KEEP OUT OF REACH OF CHILDREN. NOT FOR USE IN HEALTHCARE FACILITIES. ** Refer to Section WI for additional information.

RESPIRATORY PROTECTION

Not needed for normal application (brush or sponge). This product is not for spray application.

VENTILATION

Not needed

· · · · · · · · · · · · · · · · · · ·		 	 		 	
	· ·					
<u>.</u>						
Dave_						
<i>*</i>						
å .						
Comment of the Commen						
X.						
angi						
		 	 	·	 	
P.						
%						

	MATERIAL SAFETY DATA SHEET 12 LEAD / CADMIUM	Page: 3						
	PROTECTIVE GLOVES of needed.							
E	TYE PROTECTION of needed.							
· N	THER PROTECTIVE CLOTHING OR EQUIPMENT ot needed.							
	ORK/HYGIENIC PRACTICES efer to AMACO Safety Manual for further information. Manual available upon request.							
;								
. 🔿	information presented herein has been compiled from sources considered to be dependable and is accurate and re our knowledge and belief but is not guaranteed to be so. Since conditions of use are beyond our control we ma expressed or implied, except those that may be contained in our written acknowledgement.							
3 4								
	·		F ma					
			ni tuan					
•								
•								
	and the state of the							
• •								
, (°								
1								