

SPRAOL® AEROSOL CLOTH & MOP DRESSING #5805

TECHNICAL DATA SHEET

GENERAL INFORMATION:

Sprayed dust mop or cloth converts dust into heavy lint which shakes neatly onto newspaper or into wastebasket, without annoyance from flying dust.

Use on dust cloths — picks up dust like a magnet — prevents dust from scattering. Spray door rugs and entry mats — holds dirt like a magnet — removes dirt and moisture from the bottom of shoes.

Spray on air conditioner filters after cleaning — holds dust and pollen on filters — prevents dust and pollen from entering room.

DIRECTIONS:

Use to dust furniture, venetian blinds, radiators, woodwork, wood floors, window frames and sills, autos and other surfaces where dust gathers.

Remove cap—hold can 6-8 inches from dust mop or cloth and spray lightly over entire mop or dust cloth. Dust in usual manner. Apply spray to mop or cloth as often as needed—at least once a week.

WARNING: Keep out of reach of children. Contents under pressure. Do not puncture or incinerate. Do not use near heat or store at temperatures above 120°F.

Eye and skin irritant. Contains petroleum distillates. Do not spray into eyes, onto skin, or into mouth. Avoid frequent or prolonged contact with skin. Harmful if swallowed. Avoid contamination of food.

FIRST AID: EYES: In case of eye contact, flush eyes with water for at least 15 minutes. Contact physician.

SKIN: Flush off with water and wash area with soap and water. If irritation persists, contact physician.

INGESTION: Do not induce vomiting. If taken internally, drink large quantities of milk or water. Contact physician.

SPECIFICATIONS:

APPEARANCE WHEN SPRAYED: Fine

SCENT: Lemon

APPEARANCE ON MOP SURFACE (initial spray): White

SPRAY PATTERN FROM 6": 2" circle, solid

DELIVERY RATE: 1.15 gms/sec. CONTENTS OF CAN: 18.0 oz. EMULSION TYPE: Oil in water

WEIGHT PER GALLON OF CONCENTRATE: 7.89 lbs.

FLAMMABILITY: Spray is non-flammable

PROPELLANT: Hydrocarbon

Made for Professional Use Only.

HILL & MARKES, INC. PO BOX 7, EDSON ST. AMSTERDAM, NY 12010 518-842-2410/FAX-1207



Member of Grow Group, inc.

MATERIAL SAFETY DATA SHEET

HMIS CODES: H FR P

Cello Spraol Dust Control Product Name: Spraol Dust Control Product Code: 5805 Product Class: Polish, Aerosol

SECTION 1 - MANUFACTURER IDENTIFICATION

MANUFACTURER'S NAME: CELLO CORP. ADDRESS: 1354 Old Post Rd., Havre de Grace, MD. 21078

EMERGENCY PHONE: 800-522-3558 - CHEMTREC PHONE: 800-424-9300 - INFORMATION PHONE: 410-939-1234

DATE PRINTED: 7/19/94 NAME OF PREPARER: Technical Department

SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION

REPORTABLE COMPONENTS ISOBUTANE/PROPANE TLV:1000ppm **ODORLESS MINERIAL SPIRITS** TLV/PEL: 400ppm/200mg/m3 ALKANOLAMINE OSHA: PEL/TLV-TWA 20ppm;71mg/m3 ACGIH: STEL 30ppm; 107mg/m3

CAS NUMBER VAPOR PRESSURE WEIGHT mm Hg@ TEMP PERCENT 68476-86-8 70°F 3619 15.00 1.2 64742-48-9 20°C 13.0 110-91-8 20°€ .21

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT: 200°F VAPOR DENSITY: HEAVIER THAN AIR **EVAPORATION RATE: SLOWER THAN WATER** APPEARANCE: WHITE EMULSION pH: N/AP

SPECIFIC GRAVITY (H2O=1): .95 VAPOR PRESSURE: NA SOLUBILITY IN WATER: PARTIALLY ODOR: LIGHT LEMON VOLATILE: 90.61%

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: NONE FLASH METHOD: SETA FLASH

FLAMMABLE LIMITS IN AIR BY VOLUME - LOWER: 1.0

EXTINGUISHING MEDIA: FOAM, CO2, WATER FOG
SPECIAL FIREFIGHTING PROCEDURES: If involved in a fire, spray containers with water to keep fire exposed containers cool.
UNUSUAL FIRE AND EXPLOSION HAZARDS: Aerosol cans involved in a fire may tend to burst and "rocket" releasing flammable gas. If material is released during a fire, area will become slippery.

SECTION V - REACTIVITY DATA

STABILITY: STABLE

CONDITIONS TO AVOID: EXTREME HEAT OR FLAMES. KEEP FROM FREEZING. AVOID CONTACT WITH ALUMINUM OR OTHER SOFT METALS. INCOMPATIBILITY (MATERIALS TO AVOID): ACIDS, STRONG ALKALIES AND OXIDANTS

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: NITROGEN, CARBON DIOXIDE AND CARBON MONOXIDE

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

SECTION VI - HEALTH HAZARD DATA

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE; HIGH CONCENTRATIONS ARE IRRITATING TO THE EYES AND RESPIRATORY TRACT. MAY CAUSE HEADACHE, DIZZINESS, NAUSEA AND VOMITING.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE: CORROSIVE TO SKIN, COULD CAUSE BLINDNESS IF GOTTEN IN EYES

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE: ABSORPTION THROUGH SKIN MAY CAUSE HEADACHE, NAUSEA, DIZZINESS, AND VOMITING.
INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE: MAY CAUSE PERMANENT INJURY BY DAMAGING BRONCHIAL TRACT, ESOPHAGUS AND MUCOUS MEMBRANES.

HEALTH HAZARDS (ACUTE AND CHRONIC): CONTACT WITH EYES CAN CAUSE CORNEAL DAMAGE. EXTENDED OVEREXPOSURE CAN CAUSE KIDNEY/LIVER DAMAGE, DIZZINESS,

HEADACHES, NAUSEA, VOMITING.
CARCINOGENICITY: NTP CARCINOGEN: No IARC MONOGRAPHS: No OSHA REGULATED: Yes NOT LISTED

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: MAY AGGRAVATE EXISTING CONDITIONS OF DERMATITIS AND/OR LIVER OR KIDNEY DISORDERS.

EMERGENCY AND FIRST AID PROCEDURES:

IF IN EYES: Immediately flush with plenty of warm water for 15 minutes while keeping eyelids apart for maximum irrigation. If Irritation persists contact physician

IF ON SKIN: Wash off with large amounts of scap and water, if irritation persists contact a physician. Wash contaminated clothing before re-use.

IF INHALED: If victim complains of headache, dizziness or nausea, remove victim to tresh air, if breathing becomes difficult or condition persists, contact a physician.

IF INGESTED: Drink large amounts of fruit juices or vinegar followed by large quantities of milk or egg whites. Do not induce vamiling. Contact physician.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Remove sources of ignition. Dike area to contain material. Area may become slippery. Neutralize by adding diluted solutions of any of the following acids: vinegar, citric acid, muriatic acid. Absorb product onto porous material such as sand, diatomaceous earth or commercial absorbent material. Shovel up into leak proof containers.

WASTE DISPOSAL METHOD: Consult local, state and or federal authorities for proper disposal.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Do not store near acids, oxidizers, alkalies and base metals. Keep from excessive heat and keep from freezing. Do not store near consumables. Keep out of reach of children.

OTHER PRECAUTIONS: Read and follow all directions. Use in a manner consistent with product intent.

SECTION VIII - CONTROL MEASURES

RESPIRATORY PROTECTION: NONE NEEDED FOR NORMAL USE.

VENTILATION: NORMAL VENTILATION ADEQUATE.

PROTECTIVE GOGGLES: CHEMICAL RESISTANT GLOVES RECOMMENDED.
EYE PROTECTION: SAFETY SPLASH GOGGLES RECOMMENDED.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: SOURCE OF WATER FOR WASHING IS RECOMMENDED.

WORK/HYGIENIC PRACTICES: WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REUSE.

SECTION IX - REGULATORY INFORMATION

ALL INGREDIENTS OF THIS PRODUCT ARE LISTED ON THE US TOXIC SUBSTANCE CONTROL ACT (TSCA) INVENTORY. HAZARD CLASS: CONSUMER COMMODITY ORM-O

DOT LABEL: NON-CORROSIVE

The ingredients from Section II are subject to the following reporting requirements: MA - The Massachusetts Hazardous Substance List

NJ - The New Jersey Right - to - Know Hazardous Substance List

PA - The Pennsylvania Hazardous Substance List

SECTION X - DISCLAIMER

The information contained herein has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended or implied as to the applicability of this information to the users intended purpose or for the consequences of its use or misuse

^{*}Indicates toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372.