1-600-628-3385

2033

Material Safety Data Sheet

9700484 1100512 1100511 1100513-9700489 9720056RH 9700488

**Product Name:** 

LIQUITEX(R) HIGH VISCOSITY ARTIST ACRYLIC CADMIUM COLORS IN JARS

Product Family:

1. Chemical Product and Company Identification
Color: Americas Inc. EMERGENCY TELEPHONE NUMBER:

Colart Americas, Inc. 11Constitution Avenue PO Box 1396

PO Box 1396 Piscataway, NJ 08855 1-800-445-4278

SUBSTANCE:

LIQUITEX(R) HIGH VISCOS TY ARTIST ACRYLIC CADMIUM COLORS IN JARS

TRADE NAMES/SYNONYMS

LIQUITEX ARTISTS' ACRYLI-) COLORS IN TUBES: LIQUITEX(R) CONCENTRATED ARTIST COLORS; LIQUITEX HIGH V SCOSITY ACRYLIC COLORS IN JARS; LIQUITEX(R) HIGH VISCOSITY ACRYLIC COLORS IN TUBES; PRODUCTS COLORS/CODES: 10-1045;10-4508;15:) CADMIUM ORANGE;152 CADMIUM RED LIGHT;154 CADMIUM RED MEDIUM;160 CADMIUM YELLOW LIGHT;161 CADMIUM YELLOW MEDIUM;162 CADMIUM YELLOW DEEP; 00201580

PRODUCT USE: Arts and Crafts

CREATION DATE: Aug 19 1998

REVISION DATE: Mar 16 2000

2. Composition, information on Ingredients COMPONENT: CADMUM PIGMENT, PROPEIETARY

CAS NUMBER: Not assigned.

EC NUMBER: Not assigned.

PERCENTAGE:

COMPONENT: NON-HAZARDOUS SUBSTANCE

CAS NUMBER: Not assigned.

EC NUMBER: Not assigned. PERCENTAGE:

3. Hazards identification

NFPA RATINGS (SCALE 0-4): HEALTH=1 FIRE=1 REACTIVITY=0

LIQUITEX(R) HIGH VISCOSITY ARTIST ACRYLIC CADMIUM COLORS IN JARS

MAR 20 2006

Facilities Managemous TEALTH AND SATE

EC CLASSIFICATION (CALCULATED): Not determined.

EMERGENCY OVERVIEW:

COLOR:

various colors

PHYSICAL FORM:

liquid

ODOR:

fruity odor

MAJOR HEALTH HAZARDS:

CONTAINS:

CADMIUM PIGMENT. Do not spray apply.

POTENTIAL HEALTH EFFECTS:

INHALATION:

none

SKIN CONTACT:

none

EYE CONTACT:

none

INGESTION:

none

CARCINOGEN STATUS:

OSHA:

N

NTP:

Ν

IARC:

N

# 4. First Aid Measures

INHALATION:

It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

SKIN CONTACT:

It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

EYE CONTACT:

It is unlikely that emergency treatment will be required. Wash with large amounts of water or normal saline until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately.

INCESTION

Contact local poison control center or physician immediately.

LIQUITEX(R) HIGH VISCOSITY ARTIST ACRYLIC CADMIUM COLORS IN JARS

256.

## 5. Fire Fighting Measures

FIRE AND EXPLOSION HAZARDS: Slight fire hazard.

#### **EXTINGUISHING MEDIA:**

regular dry chemical, carbon dioxide, water, regular foam

#### FIRE FIGHTING:

Move container from fire area if it can be done without risk.

Avoid inhalation of material or combustion by-products.

## FLASH POINT:

No data available.

#### 6. Accidental Release Measures

# OCCUPATIONAL RELEASE:

Absorb with sand or other nor-combustible material. Collect spilled material in appropriate container for disposal.

## 7. Handling and Storage

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

# 8. Exposure Controls, Personal Protection

#### EXPOSURE LIMITS.

LIQUITEX(R) HIGH VISCOSITY ARTIST ACRYLIC CADMIUM COLORS: No occupational exposure limits established.

#### VENTILATION:

Based on available information, additional ventilation is not required.

## EYE PROTECTION:

Eye protection not required under normal conditions.

#### CLOTHING:

Protective clothing is not required under normal conditions.

#### GLOVES:

Protective gloves are not required under normal conditions.

# RESPIRATOR:

No respirator is required under normal conditions of use.
Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

#### 9. Physical and Chemica. Properties

PHYSICAL STATE:

liquid

#### COLOR:

various colors

### TEXTURE:

VISCOUS

LIQUITEX(R) HIGH VISCOSITY ARTIST ACRYLIC CADMIUM COLORS IN JARS

ODOR: fruity odor

BOILING POINT: Not available

FREEZING POINT: Not available

VAPOR PRESSURE: Not available

VAPOR DENSITY: Not available

SPECIFIC GRAVITY: Not available

WATER SOLUBILITY: Not available

PH:

Not available

VOLATILITY: Not available

ODOR THRESHOLD: Not available

EVAPORATION RATE: Not available

COEFFICIENT OF WATER/OIL DISTRIBUTION: Not available

# 10. Stability and Reactivity

REACTIVITY:

Stable at normal temperatures and pressure.

CONDITIONS TO AVOID:

None reported.

INCOMPATIBILITIES: oxidizing materials

HAZARDOUS DECOMPOSITION:

Thermal decomposition products: oxides of carbon

POLYMERIZATION: Will not polymerize.

# 11. Toxicological Information

LIQUITEX(R) HIGH VISCOSITY ARTIST ACRYLIC CADMIUM COLORS:

ADDITIONAL DATA: CONTAINS: CADMIUM PIGMENT. Do not spray apply.

LIQUITEX(R) HIGH VISCOSITY ARTIST ACRYLIC CADMIUM COLORS IN JARS

258.

# 12. Ecological Information

Not available

#### 13. Disposal Considerations

Dispose in accordance with all applicable regulations.

## 14. Transport Information

No classification assigned.

LAND TRANSPORT ADR/RID:

No classification assigned.

AIR TRANSPORT IATA/ICAO No classification assigned.

MARITIME TRANSPORT IMDG:

No classification assigned.

# 15. Regulatory information

U.S. REGULATIONS:

TSCA INVENTORY STATUS:

TSCA 12(b) EXPORT NOTIFICATION: Not listed.

CERCLA SECTION 103 (40CFR302.4):

SARA SECTION 302 (40CFR:155.30):

SARA SECTION 304 (40CFR355.40):

SARA SECTION 313 (40CFR672.65):

SARA HAZARD CATEGORIES, SARA SECTIONS 311/312 (40CFR370.21):

ACUTE:

CHRONIC:

FIRE:

N

REACTIVE:

SUDDEN RELEASE:

N

OSHA PROCESS SAFETY (29CFR1910.119):

STATE REGULATIONS:
California Proposition 65:
Y WARNING:
DO NOT SPRAY APPLY- This product
contains cadmium, a chemical known to the
State of California to cause cancer by means
of inhalation.

EUROPEAN REGULATIONS: EC NUMBER: Not assigned.

**16. Other Information** COPYRIGHT 1984-2000 MDL INFORMATION SYSTEMS, INC. ALL RIGHTS RESERVED.