Decarting

Lamoille Industrial Park • Box 309 Mctrisville Vermont 05661 • (802) 888-4217 Telex 294016



20754-all codes 20755-all codes 20757-all codes

1225

July 13, 1987 .

Dick Blick RR #4 150 East Galesburg, IL 61401

Dear Buyer:

As you and your customers are making purchasing decisions for the coming school season, please be reminded that the following DEKA products have approval from the Art and Craft Materials Institute as "AP Nontoxic:"

DEKA-Permanent fabric paint - all shades 20754-alludes
(Basics, Opaques, Metallics and Fluorescents) 20755-all codes

DEKA-PermAir airbrush formulated fabric paint 20757-allcodes

DEKA-Print textile screening ink

DEKA-Silk flowable silk paint

DEKA-Gloss waterbased enamel.

Yours truly

Jack von Behren General Manager

JvB:rd

DEKA-Color enamel varnish

Decart, Inc./Morrisville, VT 05661

manufacturer/supplier

August 25, 1986 date of form

Response to

## MATERIAL SAFETY DATA SHEET

Request

(flowable Silk DEKA-Silk Technique paint) product

All shades of paint (701-718) All shades of Resist (730-732) Salt (740).

shades

Statement of non-hazardous nature of product:

This product has been certified in a program of toxicological evaluation by a medical expert, and review by a Toxicological Advisory Board, \* to contain no materials in sufficient quantities to offer an acute or chronic health hazard to humans. In addition, there is no "physical hazard" as defined within

Due to the absence of recognized hazards, this product does not require a Material Safety Data Sheet pursuant to the requirements of the OSHA Hazard Communication Standard. However, good work practices dictate that care be taken to avoid ingestion or. unnecesary skin contact, and to provide adequate ventilation if spraying or heatsetting in a confined area.

\*Certification program of the Art & Craft Materials Institute, Inc.

024537

20757-all codes

2076666 2076744 August 25, 1986 date of form 2076844

Decart. Inc./Morrisville, VT 05661 manufacturer/supplier

## Response to

## MATERIAL SAFETY DATA SHEET

## Request

<u>DEKA-PermAir (Airbrush formulated</u> product fabric paint) All shades (500-595)

shades

Statement of non-hazardous nature of product:

This product has been certified in a program of toxicological evaluation by a medical expert, and review by a Toxicological Advisory Board,\* to contain no materials in sufficient quantities to offer an acute or chronic health hazard to humans. In addition, there is no "physical hazard" as defined within 29CFR Part 1910.1200(c).

Due to the absence of recognized hazards, this product does not require a Material Safety Data Sheet pursuant to the requirements of the OSHA Hazard Communication Standard. However, good work practices dictate that care be taken to avoid ingestion or unnecessary skin contact, and to provide adequate ventilation if spraying or heatsetting in a confined area.

\*Certification program of the Art & Craft Materials Institute, Inc.

Top five ingredients:

Textile Binder Water Softener Flow Enhancer Textile Pigments