

All Scribbles except Neon 103-3400 thru 103-3755
92273 103-4400 thru 103-4490



MATERIAL SAFETY DATA SHEET

Identity Duncan Scribbles SC 100, SC 200, SC300-316, [REDACTED] **MSDS # 703**
[REDACTED] Res

SECTION I

Manufacturer's Name	Emergency Telephone Number
Duncan Enterprises	(209) 445-1222
Address	Telephone Number
5673 E. Shields Ave.	(209) 291-4444
Fresno, CA 93727	Date Prepared
HMIS Codes	August 1987
Health 0	Revised
Reactivity 0	January 1992
Fire 1	Prepared By
Protective Equip. G	Curt Sathre
(if spraying)	

SECTION II
HAZARDOUS INGREDIENTS

Hazardous Components	OSHA PEL	ACGIH TLV	CAS #	%
none				
Other Information				
none				

SECTION III
PHYSICAL DATA

Boiling Point, (DEG°F)	Vapor Pressure, (MM HG.)
212°F	n/a
Melting Point, (DEG°F)	Vapor Density (AIR=1)
n/a	Less than 1 water
Specific Gravity (Water=1):	Water Solubility, %
1.1	Insoluble
Appearance And Odor	Freezing Point
Opaque colored latex paint	n/a
pH	Evaporation Rate (Butyl Acetate=1)
8.0 - 9.0	Less than 1 water

103-3400 B-THU 103355
103-4400 B-THU 103-4400
B

MSDS 703

SECTION IV
FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used)

n/a

Flammable Limits

LEL n/a

UEL n/a

Extinguishing Media

Use appropriate techniques and media
for surrounding fire.

Special Fire Fighting Procedures

None.

Unusual Fire And Explosion Hazards

Material can spatter above 212°F.
Polymer film can burn.

SECTION V
REACTIVITY DATA

Stability

Unstable:

Stable: X

Conditions To Avoid

n/a

Incompatibility (Materials To Avoid)

n/a

Hazardous Decomposition or Byproducts

n/a

Hazardous Polymerization

May Occur:

Will Not Occur: X

Conditions To Avoid

n/a

SECTION VI
HEALTH HAZARD DATA

Routes Of Entry

Inhalation? no

Skin? no

Ingestion? no

Health Hazards (Acute and Chronic)

None. Nontoxic

Carcinogenicity

NTP? no

IARC Monographs? no

OSHA Regulated? no

Signs And Symptoms of Exposure

n/a

Medical Conditions Generally Aggravated by Exposure

Abrasive, can scratch eyes.

Emergency And First Aid Procedures

Eye contact: Flush with water at least 15 minutes.

Skin contact: Wash with soap and water.

103-3400a, thru 103-3755a
103-4400a, thru 103-4490a

MSDS 703

SECTION VII
PRECAUTIONS FOR SAFE HANDLING

Steps To Be Taken In Case Material Is Released Or Spilled

Clean up properly with paper towels and a wet sponge.

Waste Disposal Method

Put paper towels in trash and rinse out sponge. Follow Federal, State and Local regulations for disposal.

Precautions To Be Taken In Handling And Storing

Keep container sealed.

Other Precautions

n/a

SECTION VIII
CONTROL MEASURES

Respiratory Protection (Specify Type)

If spraying, do not inhale mist. Use respirator that is NIOSH approved for sprays and mists.

Ventilation

Local Exhaust

Recommended

Mechanical (General)

Recommended when spraying

Protective Gloves

no

Other Protective Clothing Or Equipment

None needed

Work/Hygienic Practices

Good hygiene practices should be followed.

Special

Use respirator when spraying

Other

none

Eye Protection

Safety glasses with side shields. Do not wear contact lenses.

SECTION IX
ADDITIONAL INFORMATION

CALIFORNIA Proposition 65

n/a



"Products bearing the Nontoxic Product Seal are certified in a program to toxicological evaluation by a nationally recognized toxicologist to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems. These products are certified to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D-4236. In addition, there is no physical hazard as defined within 29 CFR Part 1910.1200(c)."

DISCLAIMER -- Information presented herein has been compiled from sources considered to be dependable and is accurate and reliable to the best of our knowledge and belief but is not guaranteed to be so. Since conditions of use are beyond our control, we make no warranties, expressed or implied.