



#### MATERIAL SAFETY DATA SHEET

Identity

MSDS # 704

Duncan Sparklers Brush-On Glitter SG Series

# SECTION I

Manufacturer's Name
Duncan Enterprises
Address
5673 E. Shields Ave.
Fresno, CA 93727

Emergency Telephone Number
(303) 623-4884
Telephone Number
(209) 291-4444
Date Prepared Revised
August 1987
Prepared By
Curt Sathre

# SECTION II HAZARDOUS INGREDIENTS

Hazardous Components none Other Information

none

OSHA PEL ACGIH TLV

CAS #

×

# SECTION III PHYSICAL DATA

Boiling Point, (DEG F)
212 F
Melting Point, (DEG F)
N/A
Specific Gravity (Water=1):
1.1
Appearance And Odor
Opaque-colored latex paint
pH
n/a

Vapor Pressure, (MM HG.)

n/a

Vapor Density (AIR=1)

n/a

Water Solubility, \*

Insoluble

Freezing Point

n/a

Evaporation Rate (Butyl Acetate=1)


n/a

## SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used)

n/a
Extinguishing Media
water based material
Special Fire Fighting Procedures
None. Will not burn.
Unusual Fire And Explosion Hazards
None.

Flammable Limits
LEL n/a UEL n/a



#751

## SECTION V REACTIVITY DATA

MSDS 704

Stability

Unstable:

Stable: X

Conditions To Avoid

n/a

Incompatibility (Materials To Avoid)

n/a

Hazardous Decomposition or Byproducts

n/a

Hazardous Polymerization

May Occur:

Will Not Occur: X

Conditions To Avoid n/a

SECTION VI HEALTH HAZARD DATA

Routes Of Entry W Inhalation? no Skin? no Ingestion? yes

Health Hazards (Acute and Chronic)

None. Nontoxic

Carcinogenicity NTP? no IARC Monographs? no

OSHA Regulated? no

Signs And Symptoms of Exposure

n/a

Medical Conditions Generally Aggravated by Exposure

Abrasive, can scratch eyes.

Emergency And First Aid Procedures

Eye contact: Flush with water at least 15 minutes.

Skin contact: Wash with soap and water.

SECTION VII
PRECAUTIONS FOR SAFE HANDLING

Steps To Be Taken In Case Material Is Released Or Spilled Clean up properly with paper towels and a wet sponge.

Waste Disposal Method

Put paper towels in trash and rinse out sponge.

Precautions To Be Taken In Handling And Storing

Keep container sealed.

Other Precautions

n/a

SECTION VIII
CONTROL MEASURES

Respiratory Protection (Specify Type)

If spraying, do not inhale mist. Use respirator that is NIOSH approved

for sprays and mists.

Ventilation

Local Exhaust

Recommended

Mechanical (General)

Recommended when spraying

Protective Gloves

Special

Use respirator when spraying

Other

none

Eye Protection

yes

nc

Other Protective Clothing Or Equipment

None needed

Work/Hygienic Practices

Good hygiene practive should be followed.

世つ51



MSDS 704

# SECTION IX ADDITIONAL INFORMATION

CALIFORNIA Proposition 65

n/a



Products bearing the AP Approved Product Seal of The Art and Craft Materials institute. Inc. are certified in a program of toxicological evaluation by a medical expert to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems. This program is reviewed by the Institute's Toxicological Advisory Board. These products are certified by the Institute to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D-4236. In addition, there is no physical hazard as defined within 29 CFR Part 1910.1200(c).

DISCLAIMER -- Information presented herein has been compiled from sources considered to be dependable and is accurate and reliable to the best of our knowledge and belief but is not guaranteed to be so. Since conditions of use are beyond our control, we make no warranties, expressed or implied, except those that may be contained in our written contract of sale or acknowledgement.