WASH THOROUGHLY AFTER HANDLING

```
Tox: 010945 Product: YELLOW PAINT (M5771A)
                                                      000168
 FNHI : M5771ASE2 ( 1 QT CAN)
 Tox: 010945 Product: YELLOW PAINT (M5771A)
 FNHI: M5771ASE3 ( 1 GAL CAN)
 APPROVED to ACTIVE NAAO prod. spec ESN-MIJIO1-A.
    - - - - - - Chemical and Physical Properties - - - - -
 This material is a LIQUID under normal conditions.
 The results' for Specific Gravity are not available.
 The Boiling Point is +117-+146 C.
 The Flash Point is +027 C (Setaflash).
 The results for pH are not available.
 * * * * * * Toxicology Review * * * *
 Tox: 010945 Tox Status: C2 (COMPLETE TOX REVIEW) Last Revised: 12/16/86
 ------ Hazardous Ingredients (HAZCOM) -------
 -- TLV --
                      CAS number Chemical name
 50ppm CEILING (skin)
                      71-36-3 * N-BUTANOL
                   1330-20-7 * XYLENE (ALL ISOMERS)
8007-45-2 * COAL TAR
 100ppm TWA
 0.2mg/m3 TWA+1+N
                     8032-32-4 + MINERAL SPIRITS
 500ppm (OSHA) TWA
                  13463-67-7 * TITANIUM DIOXIDE
 10mg/m3 TWA
               -- l=IARC N=NTP
 * See chemical fact sheets (CFS) for additional details on these ingredients.
 + For more information on CAS 8032-32-4, see CFS for CAS 8030-30-6.
 DANGER
     FLAMMABLE
IRRITATING TO EYES AND SKIN
CANCER-SUSPECT AGENT
 ----- Safe Handling and Storage ------
AVOID CONTACT WITH EYES
AVOID PROLONGED OR REPEATED SKIN CONTACT
USE WITH ADEQUATE VENTILATION
KEEP FROM HEAT, SPARKS, OR OPEN FLAME
    - - - - - Protective Measures and Treatments- - - - -
IMPERVIOUS GLOVES
SAFETY GLASSES
VENTILATION (CONTACT INDUSTRIAL HYGIENE FOR SPECIFIC DETAILS)
IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK
MEDICAL ADVICE
```

Tox: 010945 Product: YELLOW PAINT (M5771A)

FNHI : M5771ASE2 (1 QT CAN)

----- Toxicology Builetins------

PETROLEUM LUBRICATING DILS (TB 101)

The chemical identification and properties for this material were provided by the manufacturer. Health and safety information has been evaluated by:

Environmental & Occupational Toxicology, Occupational Health & Safety, Ford Motor Company 900 Parklane Towers West, Dearborn, M! 48126

For emergency call: (313) 337-3182 -or- (313) 323-0045 (for 24 hour service)