## MATERIAL SAFETY DATA SHEET

PAGE: 6CS4003---

1066.4 KG/M3

MANUFACTURED BY: GENERAL ELECTRIC CO. SILICONE PRODUCTS DIV. WATERFORD, NY 12188

EMERGENCY TELEPHONE (24 HRS) (518) 237-3330 REVISED: 10/21/85 PREPARER: DA POLSINELLI

Series

\*\*\*\*\* I PRODUCT IDENTIFICATION

\*\*\*\*

PRODUCT IDENTIFICATION SCS1003 CHEMICAL NAME: SILICONE SEALANT

CHEMICAL FAMILY: RUBBER

FORMULA: MIXTURE

\*\*\*\* II PRODUCT COMPONENTS

APPROX. ACGIH OSHA CAS REG PRODUCT COMPOSITION % TLV PEL UNITS NO. A. HAZARDOUS METRIACETOXYSTLANE < 05% 10 PPM 4253-34-3 \* 1 \*\*PRODUCT INFORMATION NA NΑ NΑ NΑ NA B. NOM-HAZARDOUS

> \*\*\* III PHYSICAL DATA \*\*\*\*

\*\*PRODUCT INFORMATION

BOILING POINT NA (F) MA

YYSECAL STATE PASTE

WAPOR PRESSURE (20 C) NEG. MM HG

ODOR VINEGAR

VAPOR DENSITY (AIR=1) NEG.

BLACK

SOLUBILITY IN WATER (20 C) INSOLUBLE PH

SOLUBILITY IN ORGANIC SOLVENT

ACIDITY/ALKALINITY UNKNOWN MEG/G

SPECIFIC GRAVITY (WATER=1) 1.07

UNKNOWN (STATE SOLVENT):

FREEZING POINT NA (F) NA ( C)

(F) NA MELTING POINT NA (C)

EVAPORATION RATE (BUTYL ACETATE=1) <1

DENSITY

% VOLATILE BY VOLUME < 5

\*\*\*\* IV FIRE AND EXPLOSION DATA \*\*\*\*

FLASH POINT >400 (F) >204 (C) BY TOC IGNITION TEMP UNK (F)UNK(C) FLAMMABLE LIMITS IN AIR(%): LOWER NA UPPER NA EXTINGUISHING MEDIA:

ALL STANDARD FIREFIGHTING MEDIA SPECIAL FIREFIGHTING PROCEDURES: NONE KNOWN.

> \*\*\*\*\* V REACTIVITY DATA

POLYMERIZATION WILL NOT OCCUR

STABILITY:

X STABLE UNSTABLE

HAZARDOUS DECOMPOSITION PRODUCTS:

CARBON MONOXIDE. CARBON DIOXIDE. SILICON DIOXIDE. ACETIC ACID.

HAZARDOUS:

INCOMPATIBILITY (MATERIALS TO AVOID):

NONE KNOWN.

CONDITIONS TO AVOID:

NONE KNOWN.

\*\*\*\*\* VI HEALTH HAZARD DATA \*\*\*\*\*

ACUTE SIGNS/EFFECTS OF OVEREXPOSURE:

INGESTION:

MAY CAUSE GASTRIC DISTRESS.

SKIN CONTACT:

UNCURED PRODUCT CONTACT WILL IRRITATE LIPS, GUMS AND TONGUE.

UNCURED PRODUCT CONTACT MAY IRRITATE THE SKIN.

INHALATION:

CAUSES MILD RESPIRATORY IRRITATION.

EYE CONTACT:

UNCURED PRODUCT CONTACT IRRITATES EYES.

MEDICAL CONDITIONS AGGRAVATED:

RESPIRATORY

OTHER:

ACETIC ACID RELEASED DURING CURING.

CHRONIC EFFECTS OF OVEREXPOSURE:

MONE KNOWN.

EMERGENCY AND FIRST AID PROCEDURES:

INGESTION:

NONE KNOWN.

L.IN:

TO CLEAN FROM SKIN, REMOVE COMPLETELY WITH A DRY CLOTH OR PAPER TOWEL, BEFORE WASHING WITH DETERGENT AND WATER.

GET MEDICAL ATTEMTION IF IRRITATION PERSISTS.

NONE FOUND

INHALATION:

NONE KNOWN.

EYES:

IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER

FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION.

NOTE TO PHYSICIAN:

NONE KNOWN.

TOXICITY: \*\*PRODUCT INFORMATION

ACUTE ORAL LD50 >10,000

MG/KG MG/KG

ACUTE DERMAL LD50 NONE FOUND

ACUTE INHALATION LC50
OTHER

NONE.

AMES TEST: UNKNOWN

PRINCIPAL ROUTES OF EXPOSURE:

EYES.

INHALATION.

PRODUCTS/INGREDIENTS:

NONE KNOWN.

\*\*\*\*\* VII SPECIAL PROTECTIVE EQUIPMENT \*\*\*\*\*

RESPIRATORY PROTECTION:

USE IN A WELL VENTILATED AREA.

PROTECTIVE GLOVES:

CLOTH GLOVES.

EYE AND FACE PROTECTION:

SAFETY GLASSES.

OTHER PROTECTIVE EQUIPMENT:

NONE KNOWN.

VENTILATION:

USE ONLY IN WELL VENTILATED AREA.

\*\*\* VIII SPILL, LEAK AND DISPOSAL PROCEDURES \*\*\*

ACTION TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

WIPE OR SOAK UP IN AN INERT MATERIAL AND PUT IN A CONTAINER FOR DISPOSAL.

WASH WALKING SURFACES WITH DETERGENT AND WATER TO REDUCE SLIP-PING HAZARD.

WEAR PROPER PROTECTIVE EQUIPMENT AS SPECIFIED IN THE PROTECTIVE EQUIPMENT SECTION.

DISPOSAL METHOD:

DISPOSAL SHOULD BE MADE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

\*\*\*\*\* IX SPECIAL PRECAUTIONS

\*\*\*\*

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

AVOID CONTACT WITH SKIM AND EYES.

CAUTION!

WEARERS OF CONTACT LENSES MUST MOT HANDLE LENSES UNTIL ALL SEALANT HAS BEEN CLEANED FROM FINGERTIPS; RESIDUAL SILICONE WILL TRANSFER TO LENSES AND CAUSE SEVERE EYE IRRITATION.

PRODUCT RELEASES ACETIC ACID DURING APPLICATION AND CURING. USE MECHANICAL VENTILATION TO STAY BELOW TLV OF 10 PPM ACETIC ACID.

UNCURED PRODUCT CONTACT IRRITATES EYES.

UNCURED PRODUCT CONTACT MAY IRRITATE SKIN.

USE IN A WELL VENTILATED AREA TO PREVENT IRRITATION BY VAPORS.

**ENGINEERING CONTROLS:** 

EYEWASH STATIONS.

## \*\* X SHIPPING AND REGULATORY CLASSIFICATION DATA \*\*

DOT SHIPPING NAME: NONE

UN/NA NUMBER: NONE

DOT HAZARD CLASS: NOME NOME

EPA HAZARD WASTE: NONE

OSHA HAZARD CLASS: EYE IRRITANT

CPSC CLASSIFICATION: EYE IRRITANT

TRANSPORTATION CLASS: INO NOME

RID (OCTI) NONE

ADR CECE) NONE

RAR (IATA) NONE

NFPA/HMIS CLASSIFICATION: FLAMMABILITY O , REACTIVITY O , HEALTH 2 ADDITIONAL INFORMATION:

THESE DATA ARE OFFERED IN GOOD FAITH AS TYPICAL VALUES AND NOT

PAGE: AS A PRODUCT SPECIFICATION. MO WARRANTY, EITHER EXPRESSED OR IMPLIED, IS MADE. THE RECOMMENDED HANDLING PROCEDURES ARE BELIEVED TO BE GENERALLY APPLICABLE. HOWEVER, EACH USER SHOULD INTENDED USE.