1591

# Material Safety Data Sheet WASHABLE INK

Date 6/18/97 Revision A

Section 1 - Product and Company Identification

General Use: Ink for writing and marking instruments

5B29119

Manufacturer:

ELIQUEMARK.

5/329120

130 SWALM STREET

5329702-09

WESTBURY, NEW YORK 11590-4820

PHONE (information & emergency) 516-333-5100

FAX 516-333-5396

# Section 2 - Composition / Information on Ingredients

Ingredient Name	CAS Number	% wt <i>or</i> % vol
PROPYLENE GLYCOL USP	57-55-6	14-20
TRITON X-100	9036-19-5	> 2.0
TWEEN -20	9005-64-5	<1.0
MENTHYL PARABEN USP	0000-99-76-3	0.20
ACID BLACK # 2	8005-03-6	1
ACID RED # 73	5413-75-2	Ĭ
ACID YELLOW # 23	1934-21-0	1
LIQUITINT (R) VIOLET	1	
LIQUITINT (R) PATENT BLUE		
LIQUITINT (R) RED RL		ĺ
NON-HAZARDOUS INGREDIENTS	į	60-75

Ingredient	OSHA PEL	ACGIH TLV	OTHER LIMITS RECOMMENDED
PROPYLENE			
GLYCOL USP			
TRITON X-100			
TWEEN -20			
MENTHYL			
PARABEN USP			
ACID BLACK	N/A	N/A	ANIMAL TOXICITY LD50=500MG/KG
# 2			
ACID RED # 73		N/E	
ACID YELLOW	. <u> </u>	N/E	
# 23		<u> </u>	·
LIQUITINT (R)	N/E	N/E	ORAL LD 50= > 5000MG/KG ( RAT)
VIOLET		<u> </u>	
LIQUITINT (R	N/E	N/E	ORAL LD 50=> 5000MG/KG ( RAT )
) PATENT BLUE			
LIQUITINT (R)	N/E	N/E	
RED RL		<u> </u>	
NON-			
HAZARDOUS			
INGREDIENTS			

# Section 3 - Physical and Chemical Properties

Appearance and Odor: ODORLESS LIQUID

Vapor Pressure:

Vapor Density (Air=1): 1.5

Surface Tension: 32-35 DYNE/CM

Specific Gravity (H<sub>2</sub>O=1, at 4 °C) 1.00-1.060

Water Solubility: COMPLETE Boiling Point: 105-110 DEG C

Freezing/Melting Point:

Viscosity:

Evaporation Rate: 1.0

## Section 4 - Fire-Fighting Measures

Flash Point: 500 DEG F
Flash Point Method: COC
Autoignition Temperature N/A

JEL: N/A JEL: N/A

Tlammability Classification: N/A.

Extinguishing Media: USE WATER, CARBON DIOXIDE, FOAM OR DRY POWDER

Juusual Fire or Explosion Hazards: NONE

Fire-Fighting Instructions: N/A IN THE AMOUNT OF DYE USED IN FORMULATION

# Section 5 - Stability and Reactivity

itability: STABLE

Polymerization: WILL NOT OCCUR Chemical Incompatibilities: N/A Conditions to Avoid: NONE Hazardous Decomposition Products:

### Section 6 - Health Hazard Information

#### Potential Health Effects

'rimary Entry Routes: NOT HAZARDOUS

'arget Organs: scute Effects nhalation:

îye: ikin:

ngestion:

Carcinogenicity:

Medical Conditions Aggravated by Long-Term Exposure: NO EVIDENCE OF ADVERSE HEALTH EFFECTS FROM

**AVAILABLE INFORMATION** 

Chronic Effects:

### **Emergency and First Aid Procedures**

nhalation: REMOVE TO FRESH AIR AND PROVIDE OXYGEN IF BREATHING IS DIFFICULT. GET MEDICAL ATTENTION

Product: WASHABLE INK

Revision: A

Date 6/18/97 Skin Contact: WASH AFFECTED AREAS WITHLARGE AMOUNTS OF SOAP AND WATER. CONTACT A PHYSICIAN IF IRRITATION OCCURS.

Ingestion: GIVE TWO GLASSES OF WATER AND INDUCE VOMITING. CALL A PHYSICIAN.

After first aid, get appropriate in-plant, paramedic, or community medical support.

## Section 7 - Spill, Leak, and Disposal Procedures

Spill/Leak Procedures: RINSE SPILLED MATERIAL WITH WATER, WEAR APPROPRIATE PROTECTIVE

**EQUIPMENT** Containment:

Cleanup: COLLECT USING ABSORBENT MATERIAL

Regulatory Requirements:

Disposal:

Disposal Regulatory Requirements: ALL MATERIAL SHOULD BE PACKAGED AND DISPOSED IN CONFORMANCE

WITH ALL APPLICABLE, LOCAL, STATE AND FEDERAL REGULATIONS

Container Cleaning and Disposal:

**Ecological Information:** 

## Section 8 - Exposure Controls / Personal Protection

Engineering Controls:

Ventilation: LOCAL EXHAUST

Administrative Controls:

Respiratory Protection: HANDLE IN THE PRESENCE OF ADEQUATE VENTILATION

Protective Clothing/Equipment: USE CHEMICAL RESISTANT GLOVES; USE GOGGLES AND ADEOUATE

**CLOTHING TO MINIMIZE PHYSICAL CONTACT** 

Safety Stations:

Contaminated Equipment: Comments:

# Section 9 - Special Precautions and Comments

Handling Precautions: HANDLE WITH REASONABLE CARE

Storage Requirements:

Prepared By: R. DINGLAS

Revision Notes:

Vendur# 054008