

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS

CAUTION

Keep out of reach of children. Harmful if swallowed. Do not apply directly to food. Cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After spraying in meal packaging plants, bakeries and other food processing plants, wash all equipment where exposed food will be handled with an effective cleaning compound followed by a potable water rinse. Remove pets, birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL & CHEMICAL HAZARDS

Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

1. Prohibitions
Do not contaminate water, food, or feed by storage or disposal.
2. Pesticide Disposal
Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
3. Container Disposal
Triple rinse (or equivalent). Then offer for recycling or reconditioning, or purchase and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Space Spray — Use undiluted to fill accessible spaces of insecticide breeding dried fruit products in storage or being processed.

Close room or warehouse and shut off all ventilating systems. Use a spraying device such as the Micro-Gen equipment to dispense this product as a fine mist in the air above the trays and shelves. Do not apply to fruit directly. Use a dosage not to exceed 1/4 gallon of this spray per 50,000 cubic feet of room space. Repeat application at this dosage in any given month. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before re-entry.

*Ocean Meal Worm, Dried Fruit Beetle, Confused Flour Beetle, Saw-toothed Grain Beetle and Flour Weevil.

CODE 33589

GCH 10000

ULD® BP-300
INSECTICIDE

For use in and around restaurants, schools, hotels, motels, apartments, commercial buildings, factories, campgrounds, resorts, and food processing establishments

ACTIVE INGREDIENTS:

** Pyrethrin	3.00%
** Piperonyl butoxide, technical	6.00%
** N-octyl bicycloheptene dicarboximide	10.00%
* Consists of 4.90% (butylcarbitol) (6-propylpiperonyl) ether and 1.20% related compounds. **MCK 254 insecticide Synergist.	
INERT INGREDIENTS:	81.00%
Contains Petroleum distillate.	

KEEP OUT OF REACH OF CHILDREN
CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND STATEMENT OF PRACTICAL TREATMENT

MICRO-GEN® | 10700 Spring Drive, Suite 100
EQUIPMENT CORP. | SAN ANTONIO, TEXAS 78217 USA
Call: MICRO-GEN FAX: 910-711-000

EPA REG. NO. 11540-1
EPA EST. NO. 11540-TX-1

Ultra Low Dosage Through Micron Generation

Net Contents

Gallons

BATCH NO.

DIRECTIONS, continued

Space Spray — Use undiluted to kill the adult and accessible forms of insect pests* of (stored in multiwall paper bags or in cloth bags) in warehouses, storage rooms and similar locations: Close room or warehouse and shut off all ventilating systems. Use a spraying device such as the Micro-Gen equipment to dispense this product. Use a dosage of one fluid ounce of this spray per 1,000 cubic feet of room space. Repeat application as necessary for insect control. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before re-entry.

*Among these are the Rice Weevil, Weevil, Meal Worm, Cadelle, Confused Flour Beetle, Saw-toothed Grain Beetle, Angoumois Grain Moth, Mediterranean Flour Moth and Indian Meal Moth.

Space Spray — Use diluted to kill flies, mosquitoes and gnats in open areas:

Dilute concentrate with petroleum distillate at a rate of one part concentrate to two parts oil and mix well. Use at a time when the temperature is cool (75°F or less) and the wind velocity is approximately the MPH. With equipment such as the Micro-Gen equipment, spray at a dosage rate of fifteen ounces per minute upward of the area to be controlled. If the equipment is truck mounted, keep the speed to approximately the MPH. Repeat application as required.

Space Spray — For control of flying and crawling insects in establishments operating under the Federal meat poultry shell egg grading and egg products inspection programs:

Dilute concentrate with a white mineral oil conforming to regulation 21 CFR (21.2589b) or an odorless light petroleum hydrocarbon conforming to 121.1182, at the rate of one part concentrate to two parts oil, and mix well. Do not apply while food processing is underway. Cover or remove any food. Cover equipment that will be in direct contact with food. Using Micro-Gen equipment adjusted to deliver aerosol droplets (30 microns or less), apply one ounce per 1,000 cubic feet of space. Leave room closed for one hour and ventilate before re-entry. Before processing begins, wash down all equipment, benches, shelving etc., where exposed food will be handled with an effective cleaning compound followed by a potable water rinse.

Space and Contact Spray — Use undiluted to kill roaches, silverfish, waterbugs, earwigs, ants, spiders, and beetles in sheltered situations: With equipment described above, apply the spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects shelter. Contact as many insects as possible. Do not allow spray to contact stored food. Use at a dosage rate of approximately one-half fluid ounce per 1,000 cubic feet of room space. Repeat dosage as necessary for control. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before re-entry.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HOW TO USE WHITENING CREAM AND SERVICE MASTERION SYSTEM. Whitening P-565 Cream is to be used only with the equipped activator P-565 Pump, not cracks or holes. Whitening equipment must be thoroughly cleaned before use. Whitening affects may be hairbrushing, bonding and brushing. Please inspect for lip lips, fine cracks and creases. Rubbing vigorously for sports equipment approximately 120° apart for light intensification of color. For preventive treatment, please apply cream approximately three feet apart. In long running cracks, move injector up along the crack while spraying at the rate of three times per foot per second for light intensification. For heavy infestations move injector by about one linear foot per second. Repeat as necessary.

NON-AGRICULTURAL USES

Flying Insects: Cluster Fly, Flies, Fruit Flies, Gnats, Mosquitoes, Small Flying Moths.

GENERAL HOUSEHOLDING TREATMENT: Close all windows and doors and direct fog upward at a rate of 1 to 3 seconds per 1000 cu. ft. (1/4 to 1/2 seconds per 1000 cu. ft. for 8 & 15 ft. size due to delivery rate). Disperse in all locations. Keep well closed for 15 min. Open and ventilate before occupying. Repeat treatment as necessary.

Ants, Bees, Bees, Camponotus, Carver Mites, Cretaceous, Millipedes, Roaches, Silverfish, Saw Bugs, and Spiders; Insect on cracks and crevices in all hiding places behind baseboards, sinks, cabinets, meter boxes, door frames, windows.

General Veterinary Treatment: Open cabinets and doors in area to be treated. Shut off air conditioners, fans and other doors and windows before spraying. Spray at rate of 20 seconds per 1000 cu. ft. of space (lit 6 & 15 lb. size); 10 seconds per 1000 cu. ft. Direct spray toward areas suspected of harboring the greatest insect infestations. Dispose in all locations combining as many insects as possible. Keep area closed for 15 minutes. Open and ventilate before reoccupying. Repeat treatment as necessary.

Also, Oleske and Wenzel wrote: *Spray mist directly on insects and their nests from approximately 2 ft. distance on insects and aspects will be away from nest. Applications should be made at the evening when insects are at rest. Spray is not to be used on birds, mammals, reptiles, amphibians, or in feeding and breeding places containing as many insects as possible.*

[illegible]

Ingredients: *Iran Moss*, *Chalcidite Moss*, *Indian Moss*, *Hell Moss*, *Mediterranean Flower Moss*, *Cliff* at floor and windows. Direct spray into all parts of room, especially stored product containers, galleys, and dunnage stows. Spray 5 to 10 seconds for each 1000 cu. ft. of space for 8, 15, 15, 10, 30, 270, 15 seconds per 1000 cu. ft. Keep area closed for 15 seconds following treatment. Open and ventilate before reoccupying. Repeat treatment weekly or as necessary. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

Flies in buildings—General Volumetric Treatment: Hold aerosol 36" above floor and direct spray toward floor and lower walls at a rate of 10 seconds per 100 sq. ft. (5 seconds per 100 sq. ft. for 15 lb. unit) making sure that all floor, sofa and chair surfaces are contacted. Keep area closed for 15 minutes. Open and ventilate before reoccupying. Repeat treatment after 7 days or as necessary.

Treatment after 7 days or as necessary

OUTDOOR GROUND APPLICATION: Flies, Gnats and Mosquitoes in open areas near building and in campgrounds. Best results are obtained when wind speed is five (5) MPH or less. Apply at a rate of 60-80 seconds per acre. For 8 & 15 lb. size: Spray 30-40 seconds per acre.) Spray in wide swaths across area to be treated. Allow spray drift to penetrate dense foliage. Repeat treatment as necessary.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
Storage: Store in cool, dry, locked area away from heat or open flame.






Pesticide Disposal: Waste resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Replace cage and discard empty container in trash, sanitary landfill, or by other approved state and local procedures. Do not incinerate or puncture.

PRECAUTIONARY STATEMENT HAZARDS TO HUMANS AND

DOMESTIC ANIMALS

CAUTION:

Harmful if swallowed or absorbed through skin. Do not re-
main in treated area and ventilate the area after treatment.
is completed. Avoid breathing of vapor. Avoid contact with
skin, eyes, or clothing. Wash thoroughly after using and
before smoking or eating. Do not contaminate water, food,
or foodstuffs. Remove all pet and birds. Cover fish ponds
or remove before spraying.     

FOOD AIDERS OF FOOD HANDLING ESTABLISHMENTS:

or contact with, be removed or covered during treatment. Avoid contamination of food and foodstuffs. After space spraying, food contact surfaces and equipment must be washed with an effective cleaning compound followed by a potable water rinse. When using this product as a space spray, application only when plant is not in operation. Except in federally inspected meat and poultry plants, caustic and crevice application, including processing and handling equipment, is permissible at all times.

CFR Part 11.

ENVIRONMENTAL HAZARDS: This pesticide is highly toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, and ponds). Drift from treated areas may be hazardous to organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment washwaters.

WASHWALLES.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F. may cause bursting. Do not spray on plastic, painted, or varnished surfaces or directly into any electronic equipment such as radios, telephones, computers, etc.

© Copyright, 1968
Whitmore Research Laboratories, Inc.
St. Louis, MO 63122

FOR HAND HELD OR SYSTEM III USE

PT[®] 565 Plus Pyrethrum

Insect Fogger

KILLS: Angoumois Grain Moths,* Ants, Bed Bugs, Booklice, Carpet Beetles, Centipedes, Chalcididae Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Cockroaches, Confused Flour Beetles, Crickets, Drying Store Beetles, Fleas, Flies, Fruit Flies, Gnats, Grain Mites, Granary Weevils, Horn Flies, House Flies, Indian Meal Moths, Mediterranean Flour Moths, Millipedes, Mosquitoes, Mud Daubers, Red Flour Beetles, Rice Weevils, Sandhatched Grain Beetles, Silverfish, Small Flying Moths, Sow Bugs, Spiders, Stable Flies, and Wasps.

For Use In and Around: Campgrounds, Food Storage Areas, Homes, Hospitals, Hotels, Meat Packing and Food Processing Plants, Motels, Resorts, Restaurants and other Food Handling Establishments, Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks, Planes), Utilities, and Warehouses.

ACTIVE INGREDIENTS:

Pyrethrins.....	0.25%
d-trans Allethrin.....	0.25%
Piperonyl Butoxide, Technical.....	1.00%
n-Octyl Bicycloheptene Dicarboximide.....	1.00%
INERT INGREDIENTS	97.50%

*Equivalent to 0.6% (Butylcarbitol)(6-Propylpiperonyl) Ether and 0.2% Related Compounds

EPA Reg. No. 499-285 **EPA Est. No. 499-MO-1**

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately.

IF ON SKIN: Remove contaminated clothing and wash affected skin areas with soap and water. Get medical attention if irritation persists.

IF WET: Flush eyes with plenty of water. Get medical attention if irritation persists.
See side panel for additional precautionary statements.