Date Printed: 03/23/04

0900823 1100503 1100504

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT CODE: MS-11200'S

PRODUCT NAME: MOD PODGE GLOSS SERIES

PLAID ENTERPRISES, INC. 3225 WESTECH DRIVE NORCROSS, GA 30092

PHONE: 678-291-8100

CHEMTREC 24-HOUR PHONE: 800-424-9300

2. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT/EXPOSURE LIMITS	CAS#	% BY WT.
* RESIDUAL VINYL ACETATE OSHA PEL: 10 PPM, ACGIH TLV: 10 PPM	108-05-4	.5

3. HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE: Direct contact with material may cause slight irritation.

SKIN: Prolonged or repeated contact may cause slight skin irritation.

INGESTION: Not an anticipated route of exposure. Small amounts are not anticipated to be harmful.

INHALATION: Exposure to vapors in poorly ventilated areas may cause irritation of the nose, throat, and respiratory tract.

CHRONIC (CANCER) INFORMATION: Vinyl acetate is listed as a potential carcinogen by IARC. Overexposure to vinyl acetate is not expected to occur during normal handling and use of this product.

TERATOLOGY (BIRTH DEFECT) INFORMATION: Product does not contain chemicals at levels known to cause birth defects.

REPRODUCTION INFORMATION: No Data.

4. FIRST AID MEASURES

Date Printed: 03/23/04

EYES: Flush eyes with a large amount of water for at least 15 minutes. Consult a physician if irritation persists.

SKIN: Wash affected skin areas thoroughly with soap and water. Consult a physician if irritation persists.

INGESTION: Small amounts are not anticipated to be harmful. Give 2 glasses of water to drink.

INHALATION: Remove to fresh air. Get medical attention if breathing is difficult.

NOTE TO PHYSICIANS: Please contact your local poison control center for information regarding this product.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES:

FLASH POINT: Non Flammable METHOD: Not Determined

FLAMMABLE LIMITS:

LOWER FLAMMABLE LIMIT: Not Determined UPPER FLAMMABLE LIMIT: Not Determined

AUTOIGNITION TEMPERATURE: Not Applicable.

HAZARDOUS COMBUSTION PRODUCTS: Thermal decomposition may form carbon dioxide, carbon monoxide, and various hydrocarbons.

EXTINGUISHING MEDIA: Use extinguishing media appropriate for surrounding fire, water spray, foam, carbon dioxide, or dry chemical.

FIREFIGHTING INSTRUCTIONS: Use water spray to cool containers not actively involved in fire. Self-contained breathing apparatus recommended for fire fighters.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Keep unnecessary personnel away, dike and contain spill with inert material such as sand or earth. Transfer material into a container for proper disposal. Keep spill out of sewers and open bodies of water. Floors may become slippery.

Date Printed: 03/23/04

COATING VOC: .2 lb/gl MATERIAL VOC: .09 lb/gl

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY (CONDITIONS TO AVOID): This material is considered stable.

INCOMPATIBILITY: Not established

HAZARDOUS DECOMPOSITION PRODUCTS: Not established

HAZARDOUS POLYMERIZATION: Product will not undergo polymerization.

11. TOXICOLOGICAL INFORMATION

As packaged for consumers, this product is certified in a toxicological evaluation by a medical expert to contain no materials in sufficient quantities to be toxic or injurious to humans, including children, or to cause acute or chronic health problems.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: No applicable data.

CHEMICAL FATE INFORMATION: Appreciable evaporation from water to air is expected in the environment. No appreciable bioconcentration is expected in the environment.

13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with Local, State, and Federal waste disposal regulations.

14. TRANSPORT INFORMATION:

NOT MEANT TO BE ALL INCLUSIVE

US DOT Hazard Class.....Nonregulated

15. REGULATORY INFORMATION:

NOT MEANT TO BE ALL INCLUSIVE - SELECTED REGULATIONS REPRESENTED

U.S. FEDERAL REGULATIONS: The components of this product are included on the TSCA inventory.

Date Printed: 03/23/04

OSHA: This product is considered non-hazardous under the OSHA Hazard Communication

Standard (29CFR 1910.1200)

CERCLA: SARA HAZARD CATEGORY: Release of this material to air, land, or water are not reportable to the National Response Center under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) or to state and local emergency planning committees under the Superfund Amendments and Reauthorization Act (SARA) Title III Section 304.

SECTION 313: * Indicates toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372.

INTERNATIONAL REGULATIONS:

CANADIAN WHMIS: This product is not a controlled product under the Canadian Workplace Hazardous Materials Information System (WHMIS).

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA): All components of this product are on the Domestic Substances List (DSL), and acceptable for use under the provisions of CEPA.

EINECS: All the components of this product are on the European Inventory of Existing Commercial Chemical Substances.

STATE REGULATIONS:

VOLATILE ORGANIC COMPOUNDS: The Volatile Organic Compounds (VOCs) are below the emission limits as regulated by The Environmental Protection Agency (EPA) and state regulations.

16. OTHER INFORMATION

NAME OF PREPARER: Dewey Wright

REVISION DATE: 01/14/03

HMIS CODES: HFRP

100A

HMIS HAZARD RATINGS: H=HEALTH, F=FIRE, R=REACTIVITY, P=PERSONAL

SCALE: 0=MINIMAL, 1=SLIGHT, 2=MODERATE, 3=SERIOUS, 4=SEVERE

Date Printed: 03/23/04

PERSONAL PROTECTION: See Section 8, Exposure Controls/Personal Protection for recommended handling of material as supplied; check with supervisor for your actual use condition.

HMIS is a registered trademark of the National Paint and Coatings Association.

LIST OF ACRONYMS:

ACGIH: American Conference of Government Industrial Hygienists

IARC: International Agency for Research on Cancer

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PEL: Permissible Exposure Limit

PPM: Parts Per Million

SARA: Superfund Amendment Reauthorization Act

TLV: Threshold Limit Value

TSCA: Toxic Substance Control Act

Please note that this MSDS applies to industrial handling of this material. Consumers should read product label. The information and recommendations set forth herein are believed to be accurate, The data is derived from information provided to Plaid Enterprises, Inc. from its raw material suppliers. Plaid Enterprises, Inc. makes no guarantee or warranty, expressed or implied, regarding the accuracy, reliability, or completeness of the data or the results to be obtained from the use thereof. It is the responsibility of the user of the product to comply with all applicable federal, state, and local laws and regulations.