SORTHOWhitefly-& Mealybug Killer

CONTROLS MAJOR HOUSEPLANT PESTS





CAN BE USED IN INTERIOR OR EXTERIOR PLANTSCAPES

Keep out of reach of children CAUTION
See back panel for additional

precautionary statements.

NET CONTENTS 1 PT. 8 FL. OZ.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION

Harmful if swallowed. Avoid contact with eyes, skin or clothing in case of contact, immediately flush eyes with fresh water for 15 minutes; for skin, wash with plenty of soap and water. Avoid spraying near pets.

Note to Physicians: Emergency Information — call (415) 233-3737.

Manufactured for
Chevron Chemical Company © 1983
Ortho Consumer Products Division
San Francisco CA 94120-7144 Richmond CA 94804-00
Product 5445 Made in U.S.A.
Form 10397-8 / Form 10398-8
EPA Reg. No. 239-2473-2A

© PA Est. 11525-It.-1, 239-IA-3
Superscript corresponds to first letter



Active Ingredients. By Wt.
Petroleum Oil ... 0.180%
Plant Spray Oil ... 0.220%
*Resmethrin [5-(phenyl-methyl)-3-furanyl] methyl
2,2-dimethyl-3-furanyl] methyl
1-propenyl) cyclopropanecarboxylate ... 0.050%
Related compounds ... 0.007%
Inert Ingredients ... 99.543%
*Cis/trans isomers ratio max. 30%
(±) cis and min. 70% (±) trans.
U.S. Pat. Nos. 3,456,007 and
3,683,078

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

READ ENTIRE LABEL AND PAMPHLET. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

ORTHO Whitely & Mealybug Killer controls Aphids, Twospotted Spider Mites, Fuchsia Mites, Mealybugs, Scale Crawlers and Whiteflies on the plants listed. Kills by contact action.

DIRECTIONS SHAKE THOROUGHLY BEFORE USE.

When to Apply — Spray at first signs of insects, before infestation is heavy. Repeat as necessary. Do not apply more frequently than every 7 days, Do not apply to wilted or water stressed plants or plants that are in direct sunlight. For harder-to-control pests as noted below, 2 to 3 applications at 7 to 10 day intervals may be necessary.

How to Apply — Fold back protective hinged tab exposing nozzle. Snap in place on sprayer top. Hold container about 12 inches from plant and pump with the nozzle directed at the pests on both sides of the leaves. Avoid overwetting foliage. Avoid spraying blossoms as discoloration may occur.

Kills the following pests on most house plants including the examples listed below.

Pest: Aphids, Twospotted Spider Mites*, Fuchsia Mite, Mealybugs*, Scales (Crawlers) and Whitellies*.

*On these harder-to-kill pests, repeat applications 1 to 2 more times at 7 to 10 day intervals after the initial treatment.

: Aluminium Plant
Asparagus Fern
African Violet
Angelwing Begonia
Bird's-nest Sansevieria
Bird's-nest Fern
Bloodleaf
Boston Fern
Coleus
Coral Berry
Dieffenbachia
Dracaena
English Ivy
False Aralia
Fuchsia
Fluffy Ruffles
Fiddle Leaf Philodendron
Geranium

Holly Fern Ivy Geranium Japanese Aralia Jade Plant Kalanchoe Lace Fern Marigold Nephthytis Neanthe Bella Palm Needle Point Ivy Parlor Palm Peperomia Philodendron Polka Dot Plant Piggy Back Plant **Prayer Plant Purple Passion** Pothos

Ribbon Plant Rubber Plant Salvia Schefflera Sprengeri Fern Spider Plant Shasta Daisy Swedish Ivy Silver Tree Strawberry Begonia St. Katherine's lvy Table Fern Variegated Spider Plant Variegated Vanilla Wax Plant Wandering Jew Weeping Fig Zebra Plant

STORAGE AND DISPOSAL

STORAGE: For storage, reseal by replacing tab closure over spray nozzle. Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. DISPOSAL: PRODUCT — Partially filled bottles may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. CONTAINER — Do not reuse empty bottle. Rinse thoroughly before discarding in trash.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.