

MATERIAL SAFETY DATA SHEET

FOR COATINGS, RESINS AND RELATED MATERIALS

(Approved by U.S. Department of Labor. Essentially Similar to Form OSHA 201)

DATE OF PREP 3/13/86

Section I

MANUFACTURER'S NAME

Plaid Enterprises, Inc.

STREET ADDRESS

1649 International Blvd.

CITY, STATE, AND ZIP CODE

Norcross, Ga., 30091

EMERGENCY TELEPHONE NO.

(404) 923-8200

PRODUCT CLASS

Latex Paint

MANUFACTURER'S CODE IDENTIFICATION

1001-1059

TRADE NAME

COLOR COVER

Section II - HAZARDOUS INGREDIENTS

INGREDIENT	PERCENT	TLV		LEL	VAPOR PRESSURE
		PPM	mg/m ³		
NOT APPLICABLE		N/A	N/A	N/A	N/A

Section III - PHYSICAL DATA

BOILING RANGE 212⁰ F (water) VAPOR DENSITY ☒ HEAVIER ☐ LIGHTER THAN AIR

EVAPORATION RATE ☐ FASTER ☒ SLOWER THAN ETHER PERCENT VOLATILE BY VOLUME 65-70% WEIGHT PER GALLON 10.2-11.0 #/gal.

Section IV - FIRE AND EXPLOSION HAZARD DATA

DOT CATEGORY

NON COMBUSTABLE

FLASH POINT

LEL

EXTINGUISHING MEDIA

N/A

UNUSUAL FIRE AND EXPLOSION HAZARDS

Product will not burn, but may splatter if temperature exceeds boiling point. Polymer is capable of burning, giving off oxides of carbon/nitrogen.

SPECIAL FIRE FIGHTING PROCEDURES

N/A

SECTION V - HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE

NONE

EFFECTS OF OVEREXPOSURE

NONE

EMERGENCY AND FIRST AID PROCEDURES

FOR MINOR BURNS USE FIRST AID BURN OINTMENT, FOR SEVERE BURNS CONSULT A PHYSICIAN, IN CASE PROPELLANT IS SWALLOWED, INDUCE VOMITING AND CONSULT A PHYSICIAN

SECTION VI - REACTIVITY DATA

STABILITY

UNSTABLE

CONDITIONS TO AVOID

STABLE

XX

INCOMPATIBILITY (Materials to avoid)

HAZARDOUS DECOMPOSITION PRODUCTS

NONE

HAZARDOUS
POLYMERIZATION

MAY OCCUR

CONDITIONS TO AVOID

WILL NOT OCCUR

XX

SECTION VII - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

WASTE DISPOSAL METHOD

DESTROY BY SOAKING IN WATER

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (Specify type)

NONE NEEDED

VENTILATION

LOCAL EXHAUST

SPECIAL

MECHANICAL (General)

OTHER

PROTECTIVE GLOVES

NONE NEEDED

EYE PROTECTION

NONE NEEDED

OTHER PROTECTIVE EQUIPMENT

NONE NEEDED

SECTION IX - SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE

STORE ENGINES IN A COOL DRY PLACE, NEVER EXPOSE TO TEMPERATURES GREATER THAN 150 FAHRENHEIT.

OTHER PRECAUTIONS

ALWAYS FOLLOW THE NIAA-NAR MODEL ROCKETRY SAFETY CODE.

DO NOT ALTER, DISMANTLE, OR UNWRAP MODEL ROCKET ENGINES OR THEIR INGREDIENTS IN ANY

Section V — HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE N/A

EFFECTS OF OVEREXPOSURE

SKIN CONTACT: PROLONGED OR REPEATED CONTACT WITH PRODUCT MAY CAUSE SKIN IRRITATION.

EYE CONTACT: DIRECT CONTACT WITH PRODUCT MAY CAUSE EYE IRRITATION.

EMERGENCY AND FIRST AID PROCEDURES EYE & SKIN CONTACT: PROMPTLY AND THOROUGHLY WASH EYE WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT PHYSICIAN IF IRRITATION PERSISTS, WASH SKIN THOROUGHLY WITH SOAP AND WATER: IF DRENCHED, REMOVE AND WASH CLOTHING BEFORE REUSE.

Section VI — REACTIVITY DATA

STABILITY ☐ UNSTABLE ☒ STABLE CONDITIONS TO AVOID

INCOMPATIBILITY (Materials to avoid)

HAZARDOUS DECOMPOSITION PRODUCTS N/A

HAZARDOUS POLYMERIZATION ☐ MAY OCCUR ☒ WILL NOT OCCUR

CONDITIONS TO AVOID N/A

Section VII — SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED Keep unnecessary people away, dike and contain spill with inert material (sand, earth, etc.) & transfer the liquid to container or disposal. Keep spill out of sewers & open bodies of water. Floors may be slippery, avoid falls.

WASTE DISPOSAL METHOD Incineration of the entire emulsion is possible but impractical because of the high water content. Dried film may be incinerated or put in a land fill.

Section VIII — SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION

N/A

VENTILATION N/A

PROTECTIVE GLOVES N/A

EYE PROTECTION N/A

OTHER PROTECTIVE EQUIPMENT N/A

Section IX — SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

N/A

OTHER PRECAUTIONS

REVISION DATE 08-sep-1988
REPLACES SHEET DATED NA

COMPLETED BY RIGNEY
APPROVED BY B W MAST

NOTICE: The information presented herein is based on data considered to be accurate as of the date of preparation of this Material Safety Data Sheet. However, no warranty or representation, express or implied, is made as to the accuracy or completeness of the foregoing data and safety information nor is any authorization given or implied to practice any patented invention without a license. In addition, no responsibility can be assumed by the manufacturer for any injury or damage resulting from the use of the product.