

# Material Safety Data Sheet

May be used to comply with  
OSHA's Hazard Communication Standard,  
29 CFR 1910.1200. Standard must be  
consulted for specific requirements.

## U.S. Department of Labor

Occupational Safety and Health Administration

(Non-Mandatory Form)

Form Approved

OMB No. 1218-0072

45536-05  
-06  
-46



IDENTITY (As Used on Label and List)

Dick Blick Acrylic Modeling Paste

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

### Section I

Manufacturer's Name

Putnam Color & Dye

Emergency Telephone Number

(309) 342-0179

Address (Number, Street, City, State, and ZIP Code)

1558 S. Henderson St.

Telephone Number for Information

(309) 342-0179

Galesburg, IL 61401

Date Prepared

June 3, 1991

Signature of Preparer (optional)

D. L. Wright

### Section II — Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))

OSHA PEL

ACGIH TLV

Other Limits  
Recommended

% (optional)

Contains no hazardous substance per OSHA

29 CFR 1940.1200

Material is a water based product with the AP Seal. Products with the AP Approved Products Seal of the Art and Craft Materials Institute are certified in a program of toxicological evaluation by a medical expert to contain no material in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems. These products are certified by the Institute to be labeled in accordance with the voluntary chronic hazard Labeling Standard ASTM D-4236. In addition, there is no physical hazard as defined within 29 CFR Part 1910.1200 (c).

### Section III — Physical/Chemical Characteristics

Boiling Point

Range 215-225°F

Specific Gravity (H<sub>2</sub>O = 1)

Range 1.03-1.68

Vapor Pressure (mm Hg.)

Not Determined

Melting Point

Not Determined

Vapor Density (AIR = 1)

Lighter Than Air

Evaporation Rate

(Butyl Acetate = 1) Slower Than Ether

Solubility in Water

Completely Soluble In Water

Appearance and Odor

Various Colors & Odorless

### Section IV — Fire and Explosion Hazard Data

Flash Point (Method Used)

Not Available

Flammable Limits

Unknown

LEL

UEL

Extinguishing Media

CO<sub>2</sub>, Foam, Or Water

Special Fire Fighting Procedures

None Known

Unusual Fire and Explosion Hazards

None

(Reproduce locally)

Stability	Unstable		Conditions to Avoid
	Stable	X	None

Hazardous Decomposition or Byproducts

Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur		None Known

Route(s) of Entry:	Inhalation? No	Skin?	Ingestion?
--------------------	-------------------	-------	------------

Refer To Section II

Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
Non-Carcinogenic	Not Listed	None Available	No

Medical Conditions  
Generally Aggravated by Exposure Not Known

**Emergency and First Aid Procedures**      **Consult A Physician Immediately**

Steps to Be Taken in Case Material Is Released or Spilled  
Recover free product. Keep product out of sewers and water sources. Advise authorities  
if product enters sewers or water ways.

Precautions to Be Taken in Handling and Storing  
Store at room temperature. Not to exceed 100°F.

## Section VIII — Control Measures

Ventilation	Local Exhaust	Special
None Required	Mechanical (General)	Other
Protective Gloves		

Work/Hygienic Practices  
Use Good Hygienic Practices