ື້ ແຂ່ user to com 🏸 ໜ້າໄດ້ Occupational Safety and Health Administration OSHA's Hazard Communication Standard, (Non-Mandatory Form) 23-CFR 1910:1200. Standard must be Form Approved consulted for specific requirements. OMB No. 1218-0072 IDENTITY (As Used on Label and List) Note: Blank spaces are not permitted, if any item is not applicable, or no Dick Blick Black Cat Ink information is available, the space must be marked to indicare that. Section 1 400 - - 201 600 Manufacturer's Name Emergency_Telephone Number Putnam Color & Dye (309)342-0179 Address (Number, Street, City, State, and ZIP Code) Telephone Number for Information (309) 342-0179 1558 S. Henderson Street Date Prepared Galesburg, IL 61401 June 3, 1991 Signature of Preparer (optional)
D. L. Wright Section II — Hazardous Ingredients/Identity Information Hazardous Components (Specific Chemical Identity; Common Name(s)) Other Limits **OSHA PEL** ACGIH TLV Recommended % (optional) Contains no hazardous substance per OSHA 29 CFR 1940.1200 Material is a water based product with the AP Seal. Products with the AP Approved Products Seal of the Art and Craft Materials Institute are certified in a program of toxicological evaluation by a medical expert to contain no material in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems. These products are certified by the Institute to be labeled in accordance with the voluntary chronic hazard Labeling Standard ASTM D-4236. In addition, there is no physical hazard as defined within 29 CFR Part 1910.1200 (c). Section III — Physical/Chemical Characteristics Boiling Point Specific Gravity (H2O = 1) Range 215-225°F Range 1.03-1.68 Vapor Pressure (mm Hg.) Melting Point Not Determined Not Determined Vapor Density (AIR = 1) Evaporation Rate Lighter Than Air Slower Than Ether (Butyl Acetate = 1) Solubility in Water Completely Soluble In Water Appearance and Odor Various Colors & Odorless Section IV — Fire and Explosion Hazard Data Flash Point (Method Used) Flammable Limits LEU ÜEL <u>Not Available</u> Unknown Extinguishing Media CO , Foam, Or Water Special Fire Fighting Procedures
None Known Unusual Fire and Explosion Hazards None (Reproduce locally)

U.S. Department of Labor

Safety Data Sheet

`\	HERCHALLA PRI	A					
Silingi	:Jnstable		Conditions to Avoid None		·		
	Stable	x	*		······································		
patibility (/	Materials to Avoid	السيسال			,	· · · · · · · · · · · · · · · · · · ·	——————————————————————————————————————
azardous Decon	nposition or Byprox	lucts	-,		<u> </u>	· · ·	
· · · · · · · · · · · · · · · · · · ·				·——,			, bry
azardous Diymerization	May Occur		Conditions to Avoid None Known		•		· ·
	Will Not Occur		د م	1			
ection VI —	Health Hazar	d Data			N. C.	<u> </u>	
oute(s) of Entry:	tn	halation? No	Sk	in? .		Ingestion?	
ealth Hazards (Acute and Chronic		fer To Section II	.		· · · · · · · · · · · · · · · · · · ·	
<u></u>		, Ne	TEL 10 SECTION 11				- '
				·			
arcinogenicity:	. N	TP?		BC Monogr	anhs?	OSHA Regulate	12
Non-Carc	inogenic N	ot Lis	ted N	RC Monogi one AV	allable	OSHA Regulated	
Not Know	toms of Exposure					·	
	<u></u>			·····			
Aedical Conditio	ns vated by Exposure		Known				
Recover if produ	en in Case Maten free product ict enters s	al is Rele :t. Ko sewers	or water ways.				e authoritie
			with Federal and l	rocal 2	tate Kegula	tions.	
Store at	Be Taken in Hand room tempe	ing and S Pratur	Not to exceed	100°F.			
			•		·		
Other Precaution Not Know				·	·		
N. R.	······································	<u>-</u>	•		·		
Section VIII	— Control M	easures					
Respiratory Pro	Rection (Specify Ty				•	<u> </u>	
None Rec	uired Local Exhaust		<u> </u>		Special		
49_	1		_		· · · · · · · · · · · · · · · · · · ·		
	Mechanical (Ge				Other		
Protective Glov Not Requ	es Lired			Eye Pro	None None	Required	
Other Protectiv	e Clothing or Equ	pment		<u> </u>			
	Practices i Hygienic	D=			-	·	<u>,</u>
_ USE G000	nygienic .	racti		200.2			