

jac

MATERIAL SAFETY DATA SHEET

***** SECTION 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION *****

PRODUCT NAME.....: SAFE-KLEEN AEROSOL
 PRODUCT NUMBER.....: 9610, 9615, 9462, 9943, 92731
 PRODUCT DESCRIPTION...:
 MANUFACTURED BY.....: QUEST CHEMICAL CORP.
 DATE PREPARED.....: 4-20-94
 SUPPLIER NAME AND ADDRESS.....TIFCO INDUSTRIES
 P.O. BOX 40277
 HOUSTON, TEXAS 77240
 (281) 469-4800

EMERGENCY PHONE - 24 HOURS.....: CALL CHEM-TEL, INC. (800) 255-3924

***** SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS *****

COMPONENT	WT. %	OSHA		ACGIH CAS REGISTRY#	
		TWA	STEL	TWA	STEL
CARBON DIOXIDE	----	10000PPM	----	5000PPM	----
TRICHLOROETHYLENE*	----	50PPM	----	200PPM	----
					124-38-9
					79-01-6

COMMENT:

THIS PRODUCT CONTAINS THE TOXIC CHEMICALS MARKED WITH AN * SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT OF 1986 AND 40CFR372.

***** SECTION 3 HAZARDS IDENTIFICATION *****

EMERGENCY OVERVIEW.....:N/A (color, clarity, odor, liquid/solid, irritant)

NFPA-HAZARD-CODES:

HEALTH.....:N/A
 FIRE.....:N/A
 REACTIVITY...:N/A

HMIS-HAZARD-CODES:

HEALTH.....: 2
 FLAMMABILITY...: 0
 REACTIVITY.....: 1
 PERSONAL.....: 2

CARCINOGENICITY:

NTP:NO

IARC MONOGRAPHS:NO

OSHA REG:NO

POTENTIAL HEALTH EFFECTS

INHALATION.....: DIZZINESS. PROLONGED EXPOSURE MAY LEAD TO UNCONSCIOUSNESS.

EYE CONTACT.....: STRONG IRRITATION.

SKIN CONTACT.....: MILD IRRITATION. MAY CAUSE LOCALIZED DEFATTING OF SKIN.

INGESTION.....: N/D

CHRONIC.....:N/A

***** SECTION 4 FIRST AID MEASURES *****

INHALATION.....: REMOVE TO FRESH AIR.

EYE CONTACT.....: FLUSH WITH WATER FOR 15 MINUTES.

SKIN CONTACT.....: WASH IMMEDIATELY WITH SOAP AND WATER AND
CONTACT PHYSICIAN IF IRRITATION PERSISTS.

INGESTION.....:

***** SECTION 5 FIRE FIGHTING MEASURES *****

FLASHPOINT AND METHOD.....:NONE

FLAMMABLE LIMITS

LFL.....:N/A

UFL.....:N/A

LEL.....:N/A

UEL.....:N/A

GENERAL HAZARD.....: CONTENTS UNDER PRESSURE. EXPOSURE TO
TEMPERATURES ABOVE 120F MAY CAUSE BURSTING. MAY DEVELOP A FLAMMABLE
ATMOSPHERE IN CONFINED AREAS.

EXTINGUISHING MEDIA.....:CO2

FIRE FIGHTING INSTRUCTIONS.....:N/A

FIRE FIGHTING EQUIPMENT.....:N/A

HAZARDOUS COMBUSTION PRODUCTS.....:N/A

***** SECTION 6 ACCIDENTAL RELEASE MEASURES *****

LAND SPILL.....: WIPE UP WITH RAG OR USE SOME ABSORBENT CLAY MATERIAL.

WATER SPILL.....:N/A

***** SECTION 7 HANDLING AND STORAGE *****

STORAGE TEMPERATURE.....:AMBIENT

STORAGE PRESSURE.....:ATMOSPHERIC

GENERAL.....: DO NOT STORE OR USE NEAR HEAT OR OPEN FLAME.
EXPOSURE TO TEMPERATURES ABOVE 120F MAY CAUSE BURSTING. VAPOR MAY COLLECT
IN LOW LYING AREAS.

***** SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION *****

ENGINEERING CONTROLS

VENTILATION.....:YES

PERSONAL PROTECTION

RESPIRATOR.....:N/A

PROTECTIVE CLOTHING.....: GLOVES AND SAFETY GLASSES ARE RECOMMENDED
ANYTIME CHEMICALS ARE HANDLED.

