

Parts Plus
K4/3082C

M11




MATERIAL SAFETY DATA SHEET

Radiator Specialty Company

1400 W. INDEPENDENCE BLVD. • CHARLOTTE, N.C. 28208 • 704-377-6555

Molin Auto
Parts



MSDS # 608
Transportation

SECTION I GENERAL INFORMATION

PRODUCT NAME	PUNCTURE SEAL (AEROSOL)
PART NUMBERS	M11-12, -16, -24
CHEMICAL DESCRIPTION	Latex Dispersion
FORMULA*	

SECTION II HAZARDOUS COMPONENTS

CAS NUMBER	COMPONENT	%	TLV
107-21-1	Ethylene Glycol	1-10	50 ppm
	Propane/IsoButane Propellant	20-35	N/A

* Components not identified are non-hazardous according to 29 CFR 1910.1200

SECTION III PHYSICAL DATA

BOILING POINT	N/A °F	SPECIFIC GRAVITY (H ₂ O=1)	N/A	pH	Slightly Alkaline
FLASH POINT	< 20 °F	VOLATILE BY WT.	> 90 %	EVAPORATION RATE	N/A
SOLUBILITY IN WATER	Miscible	SOLUBILITY IN SOLVENTS	HydroCarbons		
APPEARANCE AND ODOR	Milky liquid with ammoniacal odor.				

SECTION IV FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA
Water Fog <input type="checkbox"/> Foam <input checked="" type="checkbox"/> CO ₂ <input checked="" type="checkbox"/> Dry Chemical <input checked="" type="checkbox"/> Other <input type="checkbox"/>
SPECIAL FIRE FIGHTING PROCEDURES
Wear self-contained, positive pressure breathing apparatus and protective clothing.
UNUSUAL FIRE AND EXPLOSION HAZARDS
Contents Under Pressure. At elevated Temperatures, Containers may burst, even violently.

SECTION V REACTIVITY INFORMATION (based on data for individual components)

STABLE <input checked="" type="checkbox"/> UNSTABLE <input type="checkbox"/>	HAZARDOUS POLYMERIZATION? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	CORROSIVE? <input checked="" type="checkbox"/> No
MATERIALS TO AVOID		
Oxidizing agents, Strong Acids.		
CONDITIONS TO AVOID		
Temperatures above 120 F.		
HAZARDOUS DECOMPOSITION PRODUCTS		
Fire: Normal products of combustion; carbon dioxide, carbon monoxide.		

EMERGENCY TELEPHONE NUMBER
704-377-6555

SECTION VI HEALTH HAZARD INFORMATION (Based on data for individual components)

RECOMMENDED TLV OF PRODUCT	50 ppm
EYE	Irritant
SKIN	Slightly irritating on long exposure.
INHALATION	May irritate mucous membranes.
INGESTION	Unlikely, Aerosol Product.
OTHER	Extremely Flammable.

SECTION VII EMERGENCY AND FIRST AID PROCEDURES (Based on data for individual components)

EYE CONTACT	Flush eye with water for 15 minutes. If irritation persist, Consult Physician Immediately.
SKIN CONTACT	Wash with soap and water.
INHALATION	Move to fresh air. If adverse symptoms persist, Consult Physician Immediately.
INGESTION	Drink water. INDUCE VOMITING. Consult Physician Immediately.

SECTION VIII SPECIAL PROTECTION INFORMATION (Based on data for individual components)

	CONSUMER USE	BULK HANDLING (PROLONGED EXPOSURE)
RESPIRATORY PROTECTION	N/A	Not Required.
VENTILATION	Use in adequate ventilation	General Ventilation.
EYE PROTECTION	Avoid Contact	Wear Goggles
PROTECTIVE CLOTHING	N/A	Not Required

SECTION IX SPILL OR LEAK PROCEDURES

SPILL OR LEAK PROCEDURES	N/A	Ventilate area.
WASTE DISPOSAL METHODS <i>Dispose of in accordance with all applicable government laws and regulations.</i>		

SECTION X SPECIAL PRECAUTIONS WEARING CONTACT LENSES IS INADVISABLE.**STORAGE AND HANDLING PRECAUTIONS**


Contents Under Pressure. Do Not Store at Temperatures over 120°F. Store away from oxidizing agents & acids.

OTHER PRECAUTIONS

DO NOT PUNCTURE OR INCINERATE AEROSOL CONTAINERS.
KEEP AWAY FROM CHILDREN.

HAZARD INFORMATION LABEL DATA**HAZARD CODE**

4=Extreme
3=High
2=Moderate
1=Slight
0=Negligible



While Radiator Specialty Company believes this data is accurate as of the revision date, we make no warranty with respect to the data and we expressly disclaim all liability for reliance thereon. The data is offered solely for your information, investigation, and verification.