

MATERIAL SAFETY DATA SHEET

NASCO ACRYLIC GESSO

97-5916 - 97-5918

TRADE NAME ON LABEL

COCK PAINT DISTRIBUTING CORPORATION

MANUFACTURER

MSDS NUMBER

35 SUNNYSIDE DR. P.O. BOX 482


ADDRESS

CAS NUMBER

MILTON, WI 53563

MARCH 10, 1994

DATE PREPARED



(800) 868-6873

(414) 563 8545

PHONE NUMBER (FOR INFORMATION)

PREPARED BY

SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION

COMPONENTS CHEMICAL NAME & COMMON NAMES	%	OSHA PEL	ACGIH TLV	OTHER LIMITS RECOMMEND
WATER				
PVA EMULSION				
PIGMENT: ASSORTED NON-TOXIC COLORS				
TALC				
PROPYLENE GLYCOL				

AS PER ASTM D-4236 AND AS PER THE ART AND CRAFT MATERIALS INSTITUTE (ACMI), INC. THIS PAINT HAS BEEN CERTIFIED NON-TOXIC.

SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT ABOUT 212 F	SPECIFIC GRAVITY (H2O = 1) ABOUT 9 LBS/GAL
VAPOR PRESSURE(mm Hg & TEMPERATURE) 17 mmHG	MELTING POINT 32 F
VAPOR DENSITY (AIR=1) LIGHTER	EVAPORATION RATE (WATER=1) SLOWER
SOLUBILITY IN WATER DILUTABLE	WATER REACTIVE N/A

APPEARANCE & ODOR SLIGHT AMMONIA ODOR, OR NO ODOR PRESENT

SECTION 3 - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT & METHOD USED N/A	AUTO - IGNITION TEMPERATURE N/A	FLAMMABILITY LIMITS IN AIR % BY VOLUME N/A	LEL	UEL
----------------------------------	------------------------------------	---	-----	-----

EXTINGUISHER MEDIA FOAM, DRY CHEMICAL, CO2, WATER SPRAY OR FOG

SPECIAL FIRE FIGHTING PROCEDURES

N/A

ADDITIONAL FIRE AND EXPLOSION HAZARDS

SECTION 4 - REACTIVITY HAZARD DATA

STABILITY <input checked="" type="checkbox"/> STABLE <input type="checkbox"/> UNSTABLE	CONDITIONS TO AVOID
INCOMPATIBILITY (MATERIALS TO AVOID) NONE KNOWN-HOWEVER PRODUCT PROPERTIES MAY BE ALTERED BY MIXING WITH SOME MATERIALS	
HAZARDOUS DECOMPOSITION PRODUCTS THERMAL DECOMPOSITION IN THE PRESENCE OF AIR MAY YIELD CARBON MONOXIDE AND/OR CARBON DIOXIDE AND TRACES OF MONOMER.	
HAZARDOUS POLYMERIZATION <input type="checkbox"/> MAY OCCUR <input checked="" type="checkbox"/> WILL NOT OCCUR	CONDITIONS TO AVOID

SECTION 5 - HEALTH HAZARD DATA

PRIMARY ROUTES OF ENTRY <input type="checkbox"/> INHALATION <input type="checkbox"/> SKIN ABSORPTION	<input type="checkbox"/> INGESTION <input checked="" type="checkbox"/> NOT HAZARDOUS	CARCINOGEN LISTED IN <input type="checkbox"/> NTP <input type="checkbox"/> IARC MONOGRAPH	<input type="checkbox"/> OSHA <input type="checkbox"/> NOT LISTED
HEALTH HAZARDS	ACUTE		
	CHRONIC		
SIGNS AND SYMPTOMS			
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE			
EMERGENCY FIRST AID PROCEDURES - SEEK MEDICAL ASSISTANCE FOR FURTHER TREATMENT, OBSERVATION AND SUPPORT IF NECESSARY.			
EYE CONTACT	DIRECT CONTACT WITH EMULSION MAY RESULT IN IRRITATION. FLUSH EYES IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN. REMOVE CONTACTS FROM VICTIM.		
SKIN CONTACT	PROLONGED OR REPEATED CONTACT WITH EMULSION MAY CAUSE SOME SKIN IRRITATION. WASH SKIN THOROUGHLY WITH SOAP AND WATER; IF DRENCHED REMOVE AND WASH CLOTHING BEFORE REUSE.		
INHALATION	N/A		
INGESTION	IF VICTIM IS CONSCIOUS, GIVE TWO GLASSES OF WATER TO DRINK AND CALL A PHYSICIAN.		

SECTION 6 - CONTROL AND PROTECTIVE MEASURES

RESPIRATORY PROTECTION (SPECIFY TYPES)			
PROTECTIVE GLOVES	RUBBER GLOVES RECOMMENDED	EYE PROTECTION	CHEMICAL GOGGLES WITH EYE GUARD
VENTILATION TO BE USED	LOCAL EXHAUST OTHER (SPECIFY)	MECHANICAL (GENERAL)	SPECIAL
OTHER PROTECTIVE CLOTHING AND EQUIPMENT N/A			
HYGIENE WORK PRACTICES			

SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE/LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED ABSORB WITH DRYING MATERIAL OR FLUSH SPILLED MATERIAL INTO SUITABLE RETAINING AREA OR CONTAINER. PREVENT SPILLED LIQUID FROM ENTERING SEWERS, STORM DRAINS, DRAINAGE SYSTEMS AND NATURAL WATERWAYS.	
WASTE DISPOSAL METHODS DISPOSE OF PRODUCT IN ACCORDANCE WITH APPLICABLE LOCAL, COUNTY, STATE AND FEDERAL REGULATIONS.	
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE SHOULD BE STORED AT ROOM TEMPERATURE TO PROLONG SHELF LIFE. KEEP FROM FREEZING AND AWAY FROM EXCESSIVE HEAT	
OTHER PRECAUTIONS AND/OR SPECIAL HAZARDS	
NFPA RATING	HEALTH__ FLAMMABILITY__ REACTIVITY__ SPECIAL__ HNS RATING