



A Newell Rubbermaid Company

## MATERIAL SAFETY DATA SHEET

MSDS # 81800

## Section One: Identification

Sanford, L.P.  
2707 Butterfield Road  
Oak Brook, IL 60523 USA  
800-323-0749 or 630-481-2000

EMERGENCY MEDICAL NUMBER:

888-786-0972

Product Name: Expo Cleaner

Colors: Clear

Sanford is a member of The Art and Creative Materials Institute, Inc. This product is certified by the Institute to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D-4236 and is labeled with the CL (Cautionary Label) Seal. Products bearing the CL Seal are certified to be properly labeled in a program of toxicological evaluation by a medical expert for any known health risks and with information on safe and proper use of these materials. Conforms to ASTM D-4236.

## Section Two: Hazard Identification

WARNING: COMBUSTIBLE. VAPOR HARMFUL. MAY BE HARMFUL IF SWALLOWED, OR BY SKIN CONTACT. EYE IRRITANT. CONTAINS: 2-BUTOXYETHANOL, ISOPROPYL ALCOHOL. PRECAUTIONS: Avoid ingestion. Keep away from eyes. Do not store or use near heat or flame. Use only with adequate ventilation. KEEP OUT OF REACH OF CHILDREN. FIRST AID: If eye contact occurs, rinse with tap water for 5-10 minutes. If irritation persists, seek medical care. If skin contact occurs, wash with soap and water for 5 minutes. If swallowed, get prompt medical attention. For further health information, contact a poison control center or call 888-786-0972.

## Section Three: Composition

Water, 2-Butoxyethanol (111-76-2), isopropyl alcohol (67-63-0)

## Section Four: First Aid Measures

Inhalation: If symptoms occur, move to fresh air.  
Skin Contact: If skin contact occurs, wash with soap and water for 5 minutes.  
Eye Contact: If eye contact occurs, rinse with tap water for 5-10 minutes. If irritation persists, seek medical care.  
Ingestion: If swallowed, get prompt medical attention.

## Section Five: Fire Fighting Measures

Flash Point: 105F (TCC)  
Flammability Limits (% by volume): Lower: 2.2% (isopropyl alcohol) Upper: Not available  
Extinguishing Media: As appropriate for surrounding area.  
Special Fire Fighting Measures: None  
Unusual Fire and Explosion Hazards: None

## Section Six: Accidental Release Measures

In Case of Spill or Accidental Release: Wipe up with absorbent material.

## Section Seven: Handling and Storage

Handling: Use in a well-ventilated area. Aim nozzle away from eyes.  
Storage: Do not store or use near heat or flame.

## Section Eight: Exposure Controls and Personal Protection

Eye Protection: None under normal use conditions. Avoid prolonged eye contact.  
Clothing: None under normal use conditions.  
Respirator: None under normal use conditions.  
Ventilation: None under normal use conditions. Use in a well ventilated area.



A Newell Rubbermaid Company

## MATERIAL SAFETY DATA SHEET

MSDS # 81800

### Section Nine: Physical and Chemical Properties

For product unless otherwise specified:

Boiling Point:	180F (isopropyl alcohol)
Specific Gravity:	0.98
Vapor Pressure:	33 mg Hg (isopropyl alcohol)
Solubility in Water:	complete
Evaporation Rate:	Not available
Appearance/Odor:	Clear liquid; alcoholic odor

### Section Ten: Stability and Reactivity

Stability:	Stable
Conditions to Avoid:	None known
Chemical Incompatibility:	Strong oxidizers, acids, isocyanates
Hazardous Decomposition:	None known
Hazardous Polymerization:	Will not occur.

### Section Eleven: Toxicological Information

See Section Two: Hazard Identification for any hazards

### Section Twelve: Ecological Information

Not available

### Section Thirteen: Disposal Considerations

Dispose in accordance with Federal, State, and Local Regulations.

### Section Fourteen: Transport Information

DOT:	ORM-D Consumer Commodity
IATA:	Consumer Commodity, 9, ID8000, packing instruction 910
IMO:	Flammable Liquid, n.o.s. (isopropanol), 3, UN1993, PGIII (105F TCC), Ltd. Qlys, EmS#3-07

### Section Fifteen: Regulatory Information

TSCA: The product listed on this Material Safety Data Sheet is not listed on the Toxic Substances Control Act Inventory. All ingredients used to manufacture this product are listed on the TSCA Inventory

### Section Sixteen: Other Information

HMIS Code	
Health	2
Flammability	2
Reactivity	0
Personal Protection	H

0=Minimal / 4 = Severe

Sanford has been advised by Counsel that the OSHA Hazard Communication Standard does not apply to the Sanford Product described in this Material Safety Data Sheet. The reason for the exemption is contained in 29 CFR 1910.1200(b)(6)(ix) as amended July 1, 2006 per the Code of Federal Regulations. The information contained in this MSDS is forwarded to you for your information, but is not meant to imply that the product is covered by the Hazard Communication Standard nor is this MSDS meant to comply with all requirements of the Hazard Communication Standard.

**Nasco** FORT ATKINSON  
901 JANESVILLE AVENUE  
FORT ATKINSON, WI 53538-0901

(920) 563-2446 FAX (920) 563-8296  
TOLL FREE 800-558-9595  
10 www.eNASCO.com

ORIGINAL INVOICE  
TERMS: NET 30 DAYS

FED.I.D.NO. 06-1165854

ALL CLAIMS MUST BE MADE WITHIN  
10 DAYS AFTER RECEIPT OF GOODS.

Date 1/07/10		Page 1	
Order No. 73-0787-0	Contract 36374	P.O. Number K066084	
Account 441-299-00	Invoice No. 421722	Sls Code 1	WS Id AUTO
Special Information MSDS		Cash with Order 315/4354179	
Shipping Instructions UPS		Request Date	

SYRACUSE CITY SCHOOL DISTRICT  
ACCTS PAYABLE DEPT  
725 HARRISON ST  
SYRACUSE NY 13210-2395

POSTAGE: 6.26 QUOTED

Remit To:  
**NASCO**  
901 Janesville Avenue  
Fort Atkinson, WI 53538-0901

Send this portion with your payment.  
Keep this portion for your records.

Account: 441-299-00 P.O. Number: K066084 Order: 73-0787-0 Invoice: 421722 Date: 1/07/10

Ordered	Shipped	Backorder	U/M	Catalog #	Description	Price	Extended
SPECIAL REMARKS NO PI							
PI AUTH, PI WRT, FRGHT LETR,							
1	SHIP DIRECT	EA		Z16930 (D)	CUSHION BLANKET 12 X 26	- 5% 18.95	.00
5		5 EA		0300420	ARMATURE WIRE 1/8" 20FT	-20% 4.40	.00
2	2	EA		0400461	STOVE PIPE WIRE 18GA 5LB	-20% 17.75	28.40
4	4	EA		9703620	DISPENS O WIRE 200'SPOOL	-20% 7.25	23.20
1	1	ST		9709509	DRY ERASE MARKERS 8 CHISEL	-20% 12.25	9.80
1	1	RL		9714156	WIREFORM MESH 10' DIAMOND	-20% 19.95	15.96
1	1	EA		9720881 (B)	MILLENNIUM (.01) PEN ST-8	-20% 13.25	10.60
25	25	EA		9721250	BEGIN SKTCH/20#/8.5X11/50	-20% 3.10	62.00
5	5	EA		9722534	PENCL SHARPENER-TWIN HOLE	-20% 1.75	7.00
1	1	EA		9724758	SLUMP & HUMP MOLD-SQUARE	-20% 28.75	23.00
1	1	EA		9724760	SLUMP & HUMP MOLD-CIRCLE	-20% 28.75	23.00
1	1	EA		9725527	TEXTURED SLAB MOLD	-20% 35.75	28.60
1	1	EA		9726720	REFILL FOR TAPE RUNNER	-20% 4.35	3.48
1	1	EA		9726721	DOUBLE SIDE TAPE RUNNER	-20% 6.50	5.20
1	1	PK		9726943	NASCO SKTCHBK 50SH PK50	-20% 122.95	98.36

SDS - 1942 1943

NOTE! REMAINDER OF YOUR ORDER WILL BE INVOICED SEPARATELY.  
ITEMS IN BACKORDER COLUMN WILL BE SHIPPED AND INVOICED AFTER 01/18/2010  
ITEMS MARKED "SHIP DIRECT" WILL BE SHIPPED AND INVOICED SEPARATELY

THE TOTAL OF YOUR ORDER HAS BEEN REDUCED BY USING YOUR QUOTE. THANK YOU.

Sold To: SYRACUSE CITY SCHOOL DISTR  
ACCTS PAYABLE DEPT  
725 HARRISON ST  
SYRACUSE NY 13210-2395

Shipped To: CAPRIA, JEANETTE  
BOVA SUPPLY CENTER  
YEARLY ORDERS/HENNINGER HIGH  
1023 ERIE BLVD W  
SYRACUSE NY 13204

NET TOTAL:	338.60
SHIPPING/HANDLING:	
TAX:	
SUB TOTAL:	338.60
LESS:	.00
TOTAL DUE:	338.60

TERMS: NET 30 DAYS

For proper credit to your account, please return the top portion of this document with your remittance and write your account number/invoice# on your check. All claims for damages and/or shortages MUST be reported WITHIN 10 DAYS after receipt of merchandise. MERCHANDISE MAY NOT BE RETURNED WITHOUT AUTHORIZATION.

**Nasco** FORT ATKINSON  
901 JANESVILLE AVE. FORT ATKINSON, WI 53538-0901  
(920) 563-2446 FAX (920) 563-8296  
TOLL FREE 800-558-9595  
www.eNASCO.com

**THANK YOU**  
For Your Order

May be used to comply with  
OSHA's Hazard Communication Standard,  
29 CFR 1910.1200. Standard Must Be  
Consulted for Specific Requirements  
IDENTITY (As Used on Label and List)

1942

Occupational Safety and Health Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072

9709506  
9709509

Dixon Dry Erase Markers

NOTE: Blank spaces are unpermitted. If any item is not applicable, or no  
information is available, the space must be marked to indicate that

## SECTION I

Manufacturer's Name <b>DIXON TICONDEROGA</b>	Emergency Telephone Number 407-829-9000
Address (Number, Street, City, State, and ZIP)  185 International Pkwy Heathrow, Florida 32746	Telephone Number for Information 407-829-9000
	Date Prepared 03/06/02
	Signature of Preparer (optional)

## SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components (Specific Chemical Identity, Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommend %Optional
Hazardous Components in Inks:			
Special Industrial Solvent 200 Proof (Mixture)			< 75%
Ethanol (64-17-5)	1000 ppm TWA		< 10%
Isopropyl Alcohol (67-63-0)	500 ppm STEL		< 10%
N-Propanol (71-23-8)	250 ppm STEL		< 10%
Conforms to ASTM D-4236			

## SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point	N/A	Specific Gravity (H <sub>2</sub> O = 1)	N/A
Vapor Pressure (mm Hg)	N/A	Melting Point	N/A
Vapor Density (Air=1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A
Solubility in Water	N/A		
Appearance and Odor	Various colors, alcohol odor.		

## SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used)	N/A	Flammable Limits	N/A	LEL	N/A	UEL	N/A
Extinguishing Media	Use approved Water, CO <sub>2</sub> , or foam spray extinguisher.						
Special Fire Fighting Procedures	Containers may be subject to ignition by fire and may release toxic or other irritating gases						

### Unusual Fire and Explosion Hazards

A self contained breathing apparatus should be used for this exposure.

(Reproduce Locally)

OSHA 174, SEPT. 1986

## SECTION V - REACTIVITY DATA

Stability	Unstable	Conditions To Avoid	NONE
	Stable YES		
Incompatibility (Materials To Avoid)			
NONE			
Hazardous Decomposition or Byproducts			
As with all burning organic matter, Carbon Monoxide and other toxic fumes may be given off.			
Hazardous Polymerization	May Occur	Conditions To Avoid	NONE
	Will Not Occur YES		

## SECTION VI - HEALTH HAZARD DATA

Route(s) Of Entry:	Inhalation?	Skin?	Ingestion?
	NO	YES	YES
Health Hazards (Acute and Chronic)			
Conforms to ASTM D-4236			
Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
	N/A	N/A	N/A
Signs and Symptoms of Exposure			
N/A			
Medical Conditions Generally Aggravated by Exposure			
N/A			

### Emergency and First Aid Procedures

Page 1

Eyes—flush with copious amounts of water and contact a physician  
Contact with skin—Wash area with soap and water. Ingestion—seek medical attention.  
This fax was sent from Dixon Ticonderoga Company.

Steps to Be Taken in Case Material Is Released or Spilled

Contain and place in approved containers.

Waste Disposal Method

Dispose of per all Local, State, and Federal Regulations.

Precautions to Be Taken in Handling and Storing

Do not store near heat or open flame.

Other Precautions

None

#### SECTION VIII - CONTROL MEASURES

Respiratory Protection (specify Type)

N/A

Ventilation

Local Exhaust

OKAY

Special

N/A

Mechanical (General)

OKAY

Other

N/A

Protective Gloves

N/A

Eye Protection

YES

Other Protective Clothing or Equipment

N/A

Work/Hygenic Practices

Contents may stain some fabrics. Use of smocks, gloves, etc to protect personal clothing is suggested. Wash hands and surfaces after use.

Page 2

\* USGPO 1986-491-529/45775

026010

5-9-02



<b>Section V - Reactivity Data</b>			
Stability	Unstable		Conditions to avoid:
	Stable	X	
Incompatibility (materials to Avoid):	None		
Hazardous Decomposition or Byproducts:	None		
Hazardous	May Occur		Conditions to avoid:
Polymerization	Will not Occur	X	
<b>Section VI - Health Hazard Data</b>			
Route(s) of Entry:	Inhalation ?	Skin ?	Ingestion ?
	No	No	Yes
Health Hazards (Acute and Chronic)			
None expected.			
Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated ?
	None		
Sign and Symptoms of Exposure: None expected.			
Medical Conditions Generally Aggravated Exposure: None.			
Emergency and First Aid Procedures:			
Eyes: Immediately flush with water enough. see a physician.			
Skin: Wash with soap water. Ingestion: Do not induce vomiting. See a physician.			
<b>Section VII - Precautions for safe Handling and Use</b>			
Steps to Be Taken in Case Materials is Released Spilled:			
Wash with water and remove with cloth.			
Waste Disposal Method:			
Waste disposal should be in accordance with the existing environmental regulation.			
Precautions to Be Taken in Handling and Storing:			
None			
Other Precautions:			
None			
<b>Section VIII - Control Measures</b>			
Respiratory Protection (Specify Type): None required.			
Ventilation	Local Exhaust	Special	
None required.	Mechanical (General)	Other	
Protective Gloves:	None required.	Eye Protection:	None required.
Other Protective Clothing or Equipment: None required.			
Work/Hygienic Practices: Standard procedure.			