MATERIAL SAFETY DATA SHEETS FOR COATINGS, RESINS AND RELATED MATERIALS (APPROVED BY U.S. DEPARTMENT OF LABOR)

SECTION I (PAGE 1) Manufacturers Name: SPRAYON PRODUCTS Emergency Phone No: 216/292-7400 Street Address: 26300 FARGO AVE City, State, and Zip Code: BEDFORD HTS. , OH Code Identification: 00880 G 44146 Rev. Date: 03/30/87 Product Class (AEROSOL) CLEANERS Date: 03/20/89 Trade Name: 00880 GEN PURPOSE CLEANER Lab No.: 28319 ****************** SECTION II - HAZARDOUS INGREDIENTS PEL * TLV * TLV * *INGREDIENT ¥ PPM * PPM * MG/M3* LEL * CAS NUMBER* PERCENT* AGUA AMMONIA DEG * . 704* 50 * 25 * N/E *NONE* 01336-21-6* BUTYL CELLOSOLVE # 5 50 * 50 * 240.00*1.1 * 00111-76-2* ISOBUTANE <5 1000 * 1000 *1800.00*1.8 * 00075-28-5* *AEROSOL - CONTENTS UNDER PRESSURE 30 +/- 5 PSIG *Carcinogenicity: THIS PRODUCT IS NOT CONSIDERED TO BE A CARCINOGEN BY THE NATIONAL TOXICOLOGY PROGRAM, THE INTERNATIONAL AGENCY FOR RESEARCH ON CANCER, OR THE OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION *Pursuant to Proposition 65: CERTAIN RAW MATERIALS USED IN MAKING THIS PRODUCT MAY CONTAIN SMALL AMOUNTS OF MATERIALS AS IMPURITIES WHICH ARE REGULATED BY PROPOSITION 45. SEE SECTION IX. SECTION III - PHYSICAL DATA O.O F Vapor Density: HEAVIER THAN AIR Boiling Range: PROPELLANT BELOW EVAPORATION RATE FASTER THAN ETHER Percent Volatile ... Weight Per *PROPELLANTS By Weight: 11 Gallon: NOT APPLICABLE Specific Gravity: NOT APPLICABLE Appearance & Odor: CLEANERS NOT APPLICABLE Vapor Pressure: NOT APPLICABLE Solubility in Water: NOT APPLICABLE Melting Point: NOT APPLICABLE SECTION IV - FIRE AND EXPLOSION HAZARD DATA DOT Category: CONSUMER COMMODITY Flash Point: PROPELLANT BELOW 20 F LEL: SEE ORM-D (T. O. C.) SECTION II Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL OR FOAM. Unusual Fire and Explosion Hazards: DO NOT SPRAY NEAR OPEN FLAME. KEEP AT ROOM TEMPERATURE AS EXPOSURE TO DIRECT SUNLIGHT OR OTHER HEAT MAY CAUSE BURSTING. Special Fire Fighting WATER MAY BE INEFFECTIVE - WATER MAY BE USED TO KEEP FIRE Procedures: EXPOSED CONTAINERS COOL.

(CONTINUED)

Customer No: 99999 Name: SPRAYON PRODUCTS Lab No.: 28319 (PAGE 2)

SECTION V - HEALTH HAZARD DATA

Effects of Overexposure: IN A CONFINED AREA VAPORS IN HIGH CONCENTRATION ARE ANESTHETIC. IRRITANT TO SKIN AND UPPER RESPIRATORY SYSTEM. OVER-EXPOSURE MAY RESULT IN LIGHT-HEADEDNESS, STAGGERING GAIT, GIDDINESS AND POSSIBLE NAUSEA. HARMFUL OR FATAL IF SWALLOWED

Chronic: REPORTS HAVE ASSOCIATED REPEATED AND PROLONGED OVEREXPOSURE TO SOLVENTS WITH PERMANENT BRAIN AND NERVOUS SYSTEM DAMAGE, ALSO KIDNEY AND LIVER DAMAGE.

Medical Conditions Prone to Aggravation by Exposure: SIGNS AND SYMPTOMS OF OVEREXPOSURE:

AGUA AMMONIA IN THIS PRODUCT CONTAINS VAPORS AND MISTS THAT ARE EXTREMELY CORROSIVE TO THE NOSE, THROAT, AND MUCOUS MEMBRANES. BRONCHITIS, PULMONARY EDEMA, AND CHEMICAL PNEUMONITIS MAY OCCUR. IRRITATION, COUGHING, CHEST PAIN, AND DIFFICULTY IN BREATHING MAY OCCUR WITH BRIEF EXPOSURE WHILE PROLONGED EXPOSURE MAY RESULT IN MORE SEVERE IRRITATION AND TISSUE DAMAGE.

Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES

Emergency and First Aid Procedures:

Breathing: REMOVE PATIENT TO FRESH AIR.

Eyes: FLUSH WITH WATER FOR AT LEAST 15 MINUTES.

Skin: WASH WITH SOAP AND WATER.

Swallowing: CALL PHYSICIAN IMMEDIATELY. DO NOT INDUCE VOMITING.

Incompatability (NONE)

Hazardous Decomposition Products By open flame: CARBON MONOXIDE, CARBON DIOXIDE. Hazardous Polymerization: WILL NOT OCCUR

SECTION VII - SPILL OR LEAK PROCEDURES

Steps to be taken in case material is released or spilled:
REMOVE ALL SOURCES OF IGNITION, VENTILATE AVOID BREATHING VAPORS
(SEE SECTION X) AND REMOVE WITH INERT ABSORBENT

Waste disposal method:

DO NOT INCINERATE - DISPOSE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS REGARDING POLLUTION.

Customer No: 99999 Name: SPRAYON PRODUCTS

Lab No.: 28319 (PAGE 3)

SECTION VIII - SPECIAL PROTECTION INFORMATION

Respiratory Protection: AVOID BREATHING OF VAPOR OR SPRAY MIST (SEE SECTION X)

Ventilation:

PROVIDE LOCAL EXHAUST VENTILATION IN VOLUME AND PATTERN TO KEEP TLV OF ALL HAZARDOUS INGREDIENTS IN SECTION II BELOW ACCEPTABLE LIMIT, AND LEL

IN SECTION II BELOW STATED LIMIT.

Protective Gloves:

RECOMMENDED FOR PROLONGED OR REPEATED CONTACT.

Eye Protection: FOR PROLONGED USE IN CLOSE QUARTERS RECOMMEND SAFETY

GLASSES WITH UNPERFORATED SIDESHIELDS.

Other Protective Equipment:

SECTION IX - SPECIAL PRECAUTIONS

Precautions to be taken in handling and storing:

DO NOT STORE ABOVE 120 F. KEEP AT ROOM TEMPERATURE AS EXPOSURE TO DIRECT SUNLIGHT OR HEAT MAY CAUSE BURSTING.

Other Precautions:

KEEP AWAY FROM CHILDREN.

DO NOT PUNCTURE OR INCINERATE.

DO NOT SPRAY NEAR FIRE OR OPEN FLAME.

Pursuant to Proposition 65:

PROPOSITION 65 APPLIES TO A LIST OF CHEMICALS NAMED BY THE GOVERNOR OF CALIFORNIA AS CARCINOGENS OR REPRODUCTIVE TOXINS. WARNING REQUIREMENTS FOR SPECIFIC CHEMICALS TAKE EFFECT ONE YEAR AFTER THEY ARE ADDED TO THE GOVERNOR'S LIST. OTHER CHEMICALS ALREADY ADDED TO THE GOVERNOR'S LIST WILL BE REGULATED LATER UNDER PROPOSITION 65.

SECTION X HAZARDOUS MATERIAL IDENTIFICATION

COMMUNICATION OF PHYSICAL PROPERTY, HEALTH, AND SAFETY INFORMATION IS A KEY FACTOR IN OUR PRODUCT SAFETY PROGRAM. WITH THIS INFORMATION YOU CAN BETTER FULFILL YOUR OBLIGATION TO EDUCATE EXPOSED PERSONNEL IN THE PROPER HANDLING TECHNIQUES REQUIRED TO MAINTAIN SAFETY IN THE WORKPLACE. LISTED IN THIS SECTION IS NPCA-HMIS CLASSIFICATION FOR THIS PRODUCT.

> HMIS. CLASSIFICATION CODE

Health:

3 SERIOUS HAZARD

Flammability:

SEVERE HAZARD 4

Reactivity:

0 MINIMAL HAZARD

Personal protection: G

SAFETY GLASSES, GLOVES,

VAPOR RESPIRATOR

THE ABOVE INFORMATION PERTAINS TO THIS PRODUCT AS CURRENTLY FORMULATED, AND IS BASED ON THE INFORMATION AVAILABLE AT THIS TIME. ADDITION OF REDUCERS OR OTHER ADDITIVES TO THIS PRODUCT MAY SUBSTANTIALLY ALTER THE COMPOSITION AND HAZARDS OF THE PRODUCT. SINCE CONDITIONS OF USE ARE OUTSIDE OUR CONTROL. WE MAKE NO WARRANTIES, EXPRESS OR IMPLIED, AND ASSUME NO LIABILITY IN CONNECTION WITH ANY USE OF THIS INFORMATION.