### MATERIAL SAFETY DATA SHEET

MAY 21 2012

Tri-Art Manufacturing Incorporated
4 Harvey Street
Kingston, Ontario
K7K 6A9

Phone (613) 541-0299

Fax (613) 541-1765

# SECTION # 1: PRODUCT IDENTIFICATION

Product Identifier:

Art Noise Colours, & Mediums

Product Use:

Artist Paint

Whmis Classification:

Not Controlled.

**MSDS Preparation Date:** 

19 February 2007

# **SECTION 2: HAZARDS IDENTIFICATION**

All Solucryl Colours, & Mediums contain ingredients found in the Whmis Ingredient Disclosure List:

INGREDIENTS	%Wt/Wt	C.A.S.#	TLV	LD50 (g/KG)
Propylene Glycol	0.5 - 2.5	57-55-56	NA	. 20 (RAT)
Texanol	< 1.0	25265-77-4	NA	< 3.2 (RAT)

In addition, some paints contain product specific compounds that have been identified in the Ingredient Disclosure List:

Products/ Ingredients	%Wt/Wt	C.A.S.#	TLV	LD50 (g/KG)
Solucryl Black Carbon Black	1.5 - 2.5	1333-86-4	NA	NA

NOTES: NA = NOT AVAILABLE

### **SECTION 3: PHYSICAL DATA**

Physical State:

White or Colored Liquid

Odour:

Very Mild Ammonia Odour

Specific Gravity:

1.0 - 1.2(Water = 1.0)

Boiling Range:

100 - 130 Deg. C

Solubility in Water: Dilutable

#### SECTION 4: FIRE AND EXPLOSION HAZARD DATA

Flammability Classification:

Not Applicable

Flash Point:

Not Combustible

Flammable Limits (% vol. in air):

LEL: N. App.

UEL: N. App.

Extinguishing Media:

Not Applicable.

Special Fire Fighting Procedures: Material in paint can splatter above 100C. Dried paint film can burn. If this should occur use carbon dioxide, foam, dry chemical or water to extinguish. Wear full-body protective clothing and self-contained breathing apparatus. Do not direct extinguishing media directly into center of burning pools.

#### SECTION 5: REACTIVITY DATA

Stability:

Stable

Incompatibility:

Maintain storage between 0 and 30 °C. Avoid strong oxidizing and

reducing agents; strong acids and bases. Keep product away from

open flame.

Conditions to Avoid: Keep product from freezing or excessive heat.

Hazardous Decomposition Products: Low molecular weight hydrocarbons, CO, CO<sub>2</sub>,

 $NO_x$ , All are toxic.

### SECTION 6: HEALTH HAZARDS

Inhalation:

Pigment powders in this paint are not in the form of respirable dusts,

hence

they do not pose the hazards associated with the inhalation of fine mineral

particles.

Eve Contact: Prolonged or repeated contact may result in eye irritation.

Skin Contact: Prolonged or repeated contact may result in skin irritation.

Ingestion:

May cause irritation to the gastrointestinal system.

Additional Exposure Information: Existing skin, eye, or respiratory conditions may be

aggravated by exposure.

Carcinogenicity: Products are not carcinogens.

#### **SECTION 7: EXPOSURE CONTROL/PERSONAL PROTECTION**

Respiratory Protection: If spray painting, wear appropriate government

approved mask. Ensure room has adequate ventilation.

Ventilation: Make

Make sure room has adequate ventilation

(i.e. window fan).

Eye Protection:

Wear safety glasses

Skin Protection:

Skin protection is not normally required. If skin irritation

develops, wear rubber gloves.

#### **SECTION 8: FIRST AID PROCEDURES**

Eye Contact:

Flush with clean water for 15 minutes. See a physician.

Skin Contact:

Wash hands with soap and water. If irritation develops see a

physician.

Inhalation:

Remove subject to fresh air.

Ingestion:

May cause abdominal pain. Do not induce vomiting. Product is not

considered toxic in small amounts. Call a physician. Ingestion of

large amounts may require medical attention.

### SECTION 9: HANDLING AND STORAGE PRECAUTIONS

Storage of Paint:

Keep from freezing. Keep containers closed.

Spill/ Leak Procedure:

Contain spilled paint and clean up.

Paint Disposal:

Dispose of paint soaked rags and empty containers in accordance with regulatory laws.

# **SECTION 10: OTHER INFORMATION**

While Tri-Art Mfg. Inc. has prepared this MSDS from a knowledge of the products' components and from supplier information, there is no warranty with respect to the accuracy of this data. We assume no legal responsibility. All data is offered for your consideration, investigation and verification.