

**Yasutomo & Co**490 Eccles Avenue
South San Francisco, CA 94080**Material Safety Data Sheet**

MSDS No.: FP0010

1. COMPANY IDENTIFICATION

Company Name: YASUTOMO & COMPANY
Address: 490 ECCLES AVENUE, SOUTH SAN FRANCISCO, CA 94080
EMERGENCY CONTACT: Development Division
Phone: 650-737-8888 8:30am-5:00pm (Pacific Time M-F)
Fax: 650-737-8887

First issue: May 21, 2001
Revised: March 1, 2003

Product Name: NORI PASTE (NP55K, NP55)**2. COMPOSITION, INFORMATION ON INGREDIENTS**

SUBSTANCE / MIXTURE: Mixture

Component (Chemical name)

Wt%

CAS Registry No.

Starch

19

9005-25-8

Others

4

Water

77

3. HAZARD IDENTIFICATION

Class name of HAZARDS chemicals for SDS in Japan : NOT APPLICABLE

4. FIRST AID MEASURES

EYE CONTACT: Gently rinse the affected eyes with clean water for at least 15 minutes.
Arrange for transportation to the nearest medical facility for examination
and treatment by a physician as soon as possible.

SKIN CONTACT: Wash the affected area under copious amounts of running water using a mild
soap. If dermatitis occurs arrange for transport to the nearest medical facility
for examination and treatment by a physician as soon as possible.

INHALATION: Remove the victim from the contaminated area immediately into the fresh air.
Keep the victim warm and quiet. If breathing is weak, irregular, or has stopped,
open airway, loosen collar and belt, and administer artificial
respiration. Arrange for transport to the nearest medical facility for
examination and treatment by a physician as soon as possible.

INGESTION: Arrange for transport to the nearest medical facility for examination and
treatment by a physician as soon as possible.

RECEIVED
FACILITIES
MANAGEMENT
JUL - 7 2010

ACCOUNTS PAYABLE

RECEIVED - 10000
JUL 22 11:26

**Yasutomo & Company**490 Eccles Avenue
South San Francisco, CA 94080**Material Safety Data Sheet**

MSDS No.: FP0010

5. FIRE FIGHTING MEASURES**SPECIFIC HAZARDS WITH REGARD TO FIRE-FIGHTING MEASURES:**

Move container from fire areas if it can be done without risk. Cool container with water spray if it can not be done without risk. Firefighters should wear proper protective equipment. Keep personnel removed from upwind of fire.

EXTINGUISHING MEDIA:

In case of fire, use water spray, foam, dry chemical powder, or carbon dioxide.

6. ACCIDENTAL RELEASE MEASURES

Sweep up material and place in a waste container.

7. HANDLING AND STORAGE

HANDLING: Use only in the well-ventilated areas.
Don't breathe dust.
Avoid contact with skin or eyes.

STORAGE: Storage in a cool well-ventilated location.

8. EXPOSURE CONTROLS, PERSONAL PROTECTION

ENGINEERING CONTROLS: No specific controls are needed.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Paste
COLOR:	White
ODOR:	Perfume
BOILING POINT:	about 100°C
VISCOSITY (at 30°C)	1,082
FREEZING POINT:	under -5°C

10. STABILITY AND REACTIVITY

Stable under usual conditions.

11. TOXICOLOGICAL INFORMATION

ACUTE ORAL EFFECT: LD50 over 20,000mg / kg (mouse)
EYE EFFECTS: not available
SKIN EFFECTS: not available

**Yasutomo & Company**490 Eccles Avenue
South San Francisco, CA 94080**Material Safety Data Sheet**

MSDS No.: FP0010

12. ECOLOGICAL INFORMATION

NOT AVAILABLE

13. DISPOSAL CONSIDERATIONS

Comply with all federal, state, and local regulations.

Do not dump this material into sewers, on the ground or into any body of water.

14. TRANSPORT INFORMATION

C/GSee / IMDG Code : not available

UN-Nr : not available

ICAO / IATA-DGR : not available

GGVE / GGVS : not available

RID / ADR: not available

ADNR : not available

Other information: Not affected by dangerous goods regulations.

15. REGULATORY INFORMATION

Follow all regulations in your country.

16. OTHER INFORMATION

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of YASUTOMO & COMPANY. It relates only to the specific material designated herein, and does not relate to use in combination with any other material or in any process. YASUTOMO & COMPANY assumes no legal responsibility for use of or reliance upon this information.

Date of issue
March 26, 2003