

zoëcon

CONTROLS PRE-ADULT
FLEAS FOR 7 MONTHS

Precor
2000

PREMISE SPRAY

ACTIVE INGREDIENTS: (S)-Methoprene [Isopropyl
(2E, 4E, 7S)-11-methoxy-3, 7, 11-trimethyl-2, 4-
dodecadienoate] 0.075%; Permethrin (3-
phenoxyphenyl)methyl (±)cis-trans-3-(2,2-
dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate
0.500%

INERT INGREDIENTS: 99.425%

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BELOW FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET WT. 16 OZ. (454g)



CONTAINS
PRECOR INSECT
GROWTH REGULATOR

KILLS ADULT FLEAS
CONTROLS REINFESTATION
FOR 7 MONTHS FROM
HATCHING FLEAS

PRECOR 2000 Premise Spray kills fleas and ticks. It contains a unique combination of ingredients that kills both adult and pre-adult fleas. PRECOR, a unique ingredient in the PRECOR 2000 Premise Spray, continues to control fleas for 7 months by preventing their development into the adult biting stage. PRECOR 2000 Premise Spray reaches fleas hidden in carpets, rugs, drapes, upholstery, pet bedding, floor cracks.

PRECOR 2000 Premise Spray leaves no bad smell or sticky mess and, used as directed, does not stain furnishings.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS—
CAUTION: May cause eye irritation. Avoid contact with eyes, skin or clothing. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing mist. Do not apply to animals or humans.

Avoid contamination of food and foodstuffs. Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared, processed or stored. Do not use in serving areas while food is exposed.

STATEMENT OF PRACTICAL TREATMENT: If in eyes, flush with plenty of water. Get medical attention if irritation persists. If inhaled, remove victim to fresh air. Apply artificial respiration if indicated. If on skin, remove contaminated clothing and wash affected areas with soap and water.

PHYSICAL AND CHEMICAL HAZARDS: FLAMMABLE. Contents under pressure. Do not use or store near heat or an open flame. Do not smoke in the use area. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Fleas & Ticks: Hold can upside down 2-3 feet from surfaces to be treated. Be sure to apply uniformly using a sweeping motion to carpets, rugs, drapes and all surfaces of upholstered furniture. Be sure to treat pet bedding as this is a primary hiding place for fleas. No need to remove pet bedding after treatment. **DO NOT TREAT PETS.** Retreat as necessary.

One can of PRECOR 2000 Premise Spray will treat a surface area of approximately 2000 square feet. Avoid wetting furniture and carpeting. A fine mist or spray applied uniformly is all that is necessary to kill fleas and ticks.

Storage & Disposal: Store in cool area away from children. Do not reuse empty container. Wrap and put in trash.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

EPA Reg. No. 2724-339-50809

Sold by
professional pest management
A Division of Zoecon Corporation
12200 Denton Drive
Dallas, Texas 75234

EPA Est. 11715-TN-1; 7056-TX-1

Made in USA
© 1991 Zoecon
A Sandoz Company

PRECOR is a trademark of Sandoz Ltd.
For information, call 1-800-248-7763.

zoëcon



PT[®] 565 Pyrethrin Insect Fogger

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

HOW TO USE WHITMIRE CRACK AND CREVICE[®] INJECTION SYSTEM:

Whitmire PT[®] 565 is for use only with the supplied actuator and injection tubes or other Whitmire equipment. Inject PT[®] 565 into cracks and crevices where insects may be harboring, living and breeding. Place injector tip 1/2" into cracks and crevices. Release approximately one-second spray per spot. For a serious infestation, place spots approximately 12" apart. For light infestation or for preventative treatment, place spots approximately three feet apart. In long running cracks, move injector tip along the crack while spraying at the rate of three linear foot per second for a light infestation. For heavy infestations move injector tip along at one linear foot per second. Repeat as necessary.

FLYING INSECTS: Cluster Fly, Flies, Fruit Flies, Gnats, Mosquitoes, Small Flying Moths. **GENERAL VOLUMETRIC TREATMENT:** Close all windows and doors and direct fog upward at a rate of 1 to 3 seconds per 1000 cu. ft. (1/2 to 1 1/2 seconds per 1000 cu. ft. for 8 & 15 lb. size due to delivery rate). Disperse in all locations. Keep area closed for 15 min. Open and ventilate before reoccupying. Repeat treatment as necessary.

CRAWLING INSECTS: Ants, Booklice, Centipedes, Clover Mites, Crickets, Millipedes, Roaches, Silverfish, Sow Bugs, and Spiders. Inject into cracks and crevices in all hiding places behind baseboards, sinks, cabinets, meter boxes, door frames, windows. General Volumetric treatment: Open cabinets and doors in area to be treated. Shut off air conditioners, fans and close doors and windows before spraying. Spray at rate of 20 seconds per 1000 cu. ft. of space (for 8 & 15 lb. size: 10 seconds per 1000 cu. ft.) Direct spray toward area suspected of harboring the greatest insect infestations. Disperse in all locations contacting as many insects as possible. Keep area closed for 15 minutes. Open and ventilate before reoccupying. Repeat treatment as necessary.

Bed Bugs: Take bed apart and treat cracks, joints and interior of framework. Mattresses and box springs should be treated, especially tufts, folds, and edges. Picture frames, moldings and all cracks and crevices in the room should also be treated. Do not use in hospital patient quarters.

Mud Dauber and Wasp Nests: Spray mist directly on insects and their nests from approximately 2 ft. distance. Contacted insects will fly away from fog. Applications should be made in late evening when insects are at rest. Spray into hiding and breeding places contacting as many insects as possible.

Carpet Beetles, Cigarette Beetles, Confused Flour Beetles, Drug Store Beetles, Grain Mites in exposed adult and larval stages, **Granary Weevils, Red Flour Beetles, Rice Weevils, and Sawtoothed Grain Beetles.** Contact as many insects as possible. Inject into cracks and crevices, excluding processing and handling equipment. Drift around cartons, and containers, and other areas where these insects tend to congregate. General Volumetric Treatment: Spray 20 seconds per 1000 cu. ft. of space (for 8 & 15 lb. size: Spray 10 seconds per 1000 cu. ft.) Repeat treatment weekly or as insects appear. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

Anguonels Grain Moth, Chocolate Moth, Indian Meal Moth, Mediterranean Flour Moth: Close all doors and windows. Direct spray into all parts of room, especially around stored product containers, pallets, and darkened areas. Spray 5 to 10 seconds for each 1000 cu. ft. of space (for 8 & 15 lb. size: spray 2 1/2 to 5 seconds per 1000 cu. ft.) Keep area closed for 15 minutes following treatment. Open and ventilate before reoccupying. Repeat treatment weekly or as necessary. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

Fleas in building-General Volumetric Treatment: Hold aerosol 36" above floor and direct spray toward floor and lower walls at a rate of 10 seconds per 1000 sq. ft. (5 seconds per 100 sq. ft. for 8 & 15 lb. unit) making sure that all floor, sofa and chair surfaces are contacted. Keep area closed for 15 minutes. Open and ventilate before reoccupying. Repeat treatment after 7 days or as necessary. For exposed stages of ants, beetles, centipedes, cockroaches, crickets, millipedes, silverfish, sawbugs and spiders harboring in void, calculate void volume and treat at a rate of 20 seconds per 1000 cu. ft. (for 8 & 15 lb. size: 10 seconds per 1000 cu. ft.) Repeat treatment as necessary.

OUTDOOR GROUND APPLICATION: Flies, Gnats and Mosquitoes in open areas near building and in campgrounds. Best results are obtained when wind speed is five (5) MPH or less. Apply at a rate of 60-80 seconds per acre. (For 8 & 15 lb. size: Spray 30-40 seconds per acre). Spray in wide swaths across area to be treated. Allow spray drift to penetrate dense foliage. Repeat treatment as necessary.

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool, dry area away from heat or open flame that is inaccessible to children.

Pesticide Disposal: Waste resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Replace cap and discard empty container in trash, sanitary landfill, or by other approved state and local procedures. Do not incinerate or puncture.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Hazard if swallowed or absorbed through skin. Do not enter treated area and ventilate the area after treatment is completed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing. Wash thoroughly after using and before eating or drinking. Do not contaminate water, food, or feedstuffs. Remove all pets and birds. Cover fish tanks or remove before spraying. In hospitals, patients should be removed from room prior to spraying. Do not return patients to room until after ventilation.

FOOD AREAS OR FOOD HANDLING ESTABLISHMENTS: Foods should be removed or covered during treatment. Food contact surfaces and equipment must be washed with an effective cleaning compound followed by a potable water rinse after treatment. When using this product as a space spray, apply only when plant is not in operation. Except in Federally inspected meat and poultry plants, careful crack and crevice application for inspection purposes is permissible at all times.

NOTICE TO APPLICATOR: During any general volumetric treatment, wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute of Occupational Safety and Health under the provisions of 30 CFR Part 11.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Do not spray on plastic, painted, or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc.

FOR USE WITH SYSTEM III[™]
OR HAND HELD USE



PT[®] 565 Pyrethrin

Insect Fogger

Kills: Anguonels Grain Moths, Ants, Bed Bugs, Booklice, Carpet Beetles, Centipedes, Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Cockroaches, Confused Flour Beetles, Crickets, Drug Store Beetles, Fleas, Flies, Fruit Flies, Gnats, Grain Mites, Granary Weevils, Horn Flies, House Flies, Indian Meal Moths, Mediterranean Flour Moths, Millipedes, Mosquitoes, Mud Daubers, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Silverfish, Small Flying Moths, Sow Bugs, Spiders, Stable Flies, and Wasps.

For Use In and Around: Campgrounds, Food Storage Areas, Homes, Hospitals, Hotels, Meat Packing and Food Processing Plants, Motels, Resorts, Restaurants and other Food Handling Establishments, Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks, Planes), Utilities, Warehouses, and other Commercial and Industrial Buildings.

Active Ingredients:	
Pyrethrins	8.50%
Piperonyl Butoxide, Technical*	1.00%
n-Octyl Bicycloheptene Dicarboximide	1.00%
Refined Petroleum Oil	8.00%
Inert Ingredients:	89.50%

*Equivalent to 0.6% (Butylcarbitol) (6-Propylpiperonyl) Ether and 0.2% Related Compounds

EPA Reg. No. 499-162 EPA Est. No. 499-MO-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

IF INHALED: Remove patient to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected skin areas with soap and water. Get medical attention if irritation persists.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

See side panel for additional precautionary statements.

Authorized by USDA for use in federally inspected meat and poultry plants.